

DEXTER CORPORATION, HYSOL DIVISION -- EA 9321 PART A -- 8040-01-193-6717
===== Product Identification =====

Product ID:EA 9321 PART A

MSDS Date:01/01/1985

FSC:8040

NIIN:01-193-6717

MSDS Number: BBFVN

=== Responsible Party ===

Company Name:DEXTER CORPORATION, HYSOL DIVISION

Emergency Phone Num:415/687-4201

CAGE:79436

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282

Country:US

Phone:626-968-6511

CAGE:79436

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESINS

Fraction by Wt: 67%

Ingred Name:ALUMINUM (SARA III)

CAS:7429-90-5

RTECS #:BD0330000

Fraction by Wt: 20%

OS

HA PEL:15MG/M3 DUST/5 FUME
ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:SILICA, AMORPHOUS, DUST
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 13%
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3; 8990

=====
Hazards Identification
=====

Effects of Overexposure:WARNING. MAY CAUSE EYE IRRITATION OR SKIN SENSITIZATION. AVOID CONTACT AND FUMES.

=====
First Aid Measures
=====

First Aid:WASH SKIN WITH SOAP AND WATER. FLUSH EYES IMMEDIATELY WITH WATER.

=====
Fire Fighting Measures
=====

Flash Point:>200F TCC
Extinguishing Media:CHEMICAL FOAM, CO2, DRY CHEMICALS
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE LIBERATED.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE EXCESS. CLEAN WITH SOLVENTS AS NECESSARY.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AT 40F OR BELOW.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL EXHAUST RECOMMENDED
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
HYSOL DIVISION - 2850 WILLOW PASS ROAD (PO BOX 312), PITTSBURG, CALIFORNIA 94565.

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:DECOMPOSES
Spec Gravity:1.5
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GREY PASTE WITH

SLIGHT CHARACTERISTIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

Stability Condition to Avoid:SEE STORAGE CONDITIONS BELOW

Hazardous Decomposition Products:COMPOUNDS OF CARBON, OXYGEN AND
NITROGEN

Conditions to Avoid Polymerization:AVOID HEATING LARGE MASSES TOO HIGH

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR CONTROLLED BURNING AS REGULATED BY
ALL GOVER

NMENTAL AGENCIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.