

EPOXYLITE CORP -- EPOXYLITE #236 PART A -- 5970-00-001-9362

===== Product Identification =====

Product ID:EPOXYLITE #236 PART A

MSDS Date:06/16/1989

FSC:5970

NIIN:00-001-9362

Kit Part:Y

MSDS Number: BCTXJ

=== Responsible Party ===

Company Name:EPOXYLITE CORP

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713

Country:US

Info Phone Num:714-951-3231 / FAX 714-472-0980

Emergency Phone Nu

m:714-951-3231/800-424-9300(CHEMTREC)

Preparer's Name:REBECCA A. TIMMINS

CAGE:11147

=== Contractor Identification ===

Company Name:THE EPOXYLITE CORPORATION

Address:9400 TOLEDO WAY

Box:19671

City:IRVINE

State:CA

ZIP:92713-9671

Country:US

Phone:714-951-3231

CAGE:11147

===== Composition/Information on Ingredients =====

Ingred Name:DIGLYCIDYL ETHER OF BISPHENOL A

CAS:25085-99-8

Fraction by Wt: 82% %

Other REC Limits:NONE RECOMMENDED

Ingred Name:NEOPENTYL GLYCOL DIGLYCIDYL ETHER

Fraction by Wt: 9%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY CAUSE MINOR TRANSIENT EYE  
IRRITATION. NO CORNEAL INJURY LIKELY. MAY CAUSE MINOR SKIN  
IRRITATION. MAY CAUSE SKIN SENSITIZATION. RESPIRATORY TRACT  
IRRITATION NOT LIKELY. LOW IN TOXICITY.  
Explanation of Carcinogenicity:PREVENT WASTE FROM CONTAMINATING  
SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL  
CONTAINER OR LINER IN A  
Effects of Overexposure:TRANSIENT EYE IRRITATION, SKIN IRRITATION, SKIN  
SENSITIZATION, RESPIRATORY TRACT IRRITATION  
Medical Cond Aggravated by Exposure:PREEXISTING SKIN ALLERGIES MAY  
INCREASE THE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS FROM  
EXPOSURE. PREEXISTING SKIN AND EYE DISORDERS MAY BE AGGRAVATED BY  
EXPOSURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES. CONSULT  
PHYSICIAN. SKIN: WASH PROMPTLY WITH SOAP AND WATER. INGESTION: SEEK  
MEDICAL ASSISTANCE IMMEDIATELY. INHALATION: REMOVE PERSON TO FRESH  
AIR. SEEK MEDICAL ATTENTION IF NEEDED.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:310F,154C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL OR WATER SPRAY  
Fire Fighting Procedures:WATER SHOULD BE USED TO KEEP FIRE-EXPOSED  
CONTAINERS COOL. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER  
SPRAY TO DISPERSE THE VAPORS.  
Unusual Fire/Explosion Hazard:DO NOT ENTER CONFINED FIRE SPACE WITHOUT  
SELF-CONTAINED BREATHING APPARATUS TO PROTECT FROM FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT MATERIAL (CLAY

, SAND, ETC.)  
AND PLACE IN APPROPRIATE CONTAINERS WITH NON-SPARKING TOOLS.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP AWAY  
FROM OPEN FLAMES AND HIGH TEMPERATURES. AVOID BREATHING VAPORS OF  
HEATED MATERIALS.  
Other Precautions:AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protectio  
n:NONE NORMALLY NEEDED. USE A NIOSH RESPIRATOR  
WITH VAPOR/GAS FILTER FOR PERSONAL COMFORT.  
Ventilation:GOOD ROOM VENTILATION USUALLY ADEQUATE FOR MOST OPERATION.  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES/CHEMICAL GOGGLES  
Other Protective Equipment:BODY COVERING CLOTHING TO MINIMIZE CONTACT.  
Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.  
Supplemental Safety and Health  
NOTE TO PHYSICIAN: NO SPECIFIC ANTIDOTE.  
TREATMENT BASED ON SOUND  
JUDGEMENT OF PHYSICIAN AND THE INDIVIDUAL REACTIONS OF THE  
PATIENT.

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:NOT GIVEN  
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN  
Vapor Pres:NOT GIVEN  
Vapor Density:> 1  
Spec Gravity:1.12  
Solubility in Water:INSOLUBLE  
Appearance and Odor:WATER WHITE TO YELLOW AMBER LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:Y

ES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS AND CAUSTICS.

Stability Condition to Avoid:EXCESS HEATING OVER LONG PERIODS OF TIME

DEGRADES RESIN

Hazardous Decomposition Products:CARBON MONOXIDE, ALDEHYDES, ACIDS MAY  
BE FORMED DURING COMBUSTION

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING  
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR  
LINER IN ACCORDANCE WITH  
ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of th  
is information to their  
particular situation.