

MAYCO OIL & CHEMICAL CO -- MIL-L-15019C,SYMBOL 6135,BW 54123 -- 9150-00-011-5892

=====
Product Identification
=====

Product ID:MIL-L-15019C,SYMBOL 6135,BW 54123

MSDS Date:01/01/1987

FSC:9150

NIIN:00-011-5892

MSDS Number: BCVHH

=== Responsible Party ===

Company Name:MAYCO OIL & CHEMICAL CO

Emergency Phone Num:(215) 788-0862

CAGE:JO713

=== Contractor Identification ===

Company Name:MAYCO OIL & CHEM

ICAL CO

Address:775 LOUIS DR

Box:2809

City:WARMINSTER

State:PA

ZIP:18974-0357

Country:US

Phone:215-672-6600

CAGE:JO713

Company Name:MAYCO OIL AND CHEMICAL CO

Address:775 LOUIS DR

Box:2809

City:WARMINSTER

State:PA

ZIP:18974-0357

Country:US

Phone:215-672-6600

CAGE:2F436

=====
Composition/Information on Ingredients
=====

Ingred Name:FATTY GLYCERIDES (3-7%)

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/

=====
Hazards Identification
=====

Effects of Overexposure: EFFECTS SIMILAR TO MINERAL OIL - NOT A PRIMARY IRRITANT (MFR)

=====
First Aid Measures
=====

First Aid: INGEST: TREAT AS FOR INGESTION OF MINERAL OIL.

=====
Fire Fighting Measures
=====

Flash Point: >500F COC
Extinguishing Media: CO*2, FOAM, DRY CHEMICAL, WATER SPRAY OR FOG
Fire Fighting Procedures: USE AIR SUPPLIE
D BREATHING APPARATUS IN
CONFINED AREAS.

=====
Accidental Release Measures
=====

Spill Release Procedures: RECOVER SPILLAGE; WIPE UP RESIDUES W/RAGS OR OTHER INERT ABSORBENT.

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN A CLOSED CONTAINER AWAY FROM EXTREME HEAT & OPEN FLAMES.

=====
Exposure Controls/Personal Protection
=====

Ventilation: MFR RECM LOCAL EXHAUST: CONTROL T
O TLV
Eye Protection: SAFETY GLASSES
Other Protective Equipment: USE EYE PROTECTION IAW STANDARD SAFE SHOP PRACTICES
Supplemental Safety and Health
SPECIFIC GRAVITY MEASURED AT 60F

=====
Physical/Chemical Properties
=====

HCC: V6
Boiling Pt: B.P. Text: >500F
Spec Gravity: 0.90
Solubility in Water: NEGLIGIBLE
Appearance and Odor: CLEAR AMBER OIL; BLAND ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

=

Waste Disposal Methods:DISPOSE IAW FED, STATE & LOCAL CODES GOVERNING
THE DISPOSAL OF PETROLEUM BASED LUBRICANTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

e. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.