View NSN Online: https://aerobasegroup.com/nsn/5330-00-023-7623 J-M CORP -- CAP 1595 (ASBESTOS GASKET) -- 5330-00-023-7623 ============ Product Identification ========================= Product ID:CAP 1595 (ASBESTOS GASKET) MSDS Date:01/01/1987 FSC:5330 NIIN:00-023-7623 MSDS Number: BCVMZ === Responsible Party === Company Name: J-M CORP Address: COMPANY NO LONGER IN SERVICE City: COMPANY NO LONGER IN SERVICE Emergency Phone Num: COMPANY NO LONGER IN SERVICE **CAGE:00168** === Contractor Identif ication === Company Name: J-M CORP Address: COMPANY NO LONGER IN SERVICE Box:City:COMPANY NO LONGER IN SERVICE Phone: COMPANY NO LONGER IN SERVICE **CAGE:00168** ======= Composition/Information on Ingredients ======== Ingred Name: ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 Fraction by Wt: 100% Other REC Limits:2FB/CC>5MICRO-M OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9192 ============== Hazards Identification ======================= Routes of Entry: Inhalation:Y

ES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:YES | IARC:YES | OSHA:YES Health Hazards Acute and Chronic: DYSPNEA, INTERSTITIAL

FIBROSIS, RESTRICTED PULMONARY FUNCTION, FINGER CLUBBING. CHRONIC INHALATION OF PARTICLES CAN PRODUCE ASBESTOS.

**Explanation of Carcinogenicity: HUMAN CARCINOGEN** 

Effects of Overexposure: IRRITATION OF RESPIRATORY TRACT, SKIN AND EYES. DIFFICULTY IN BREATHING.

Medical Cond Aggravated by Exposure: MANUFACTURER DID NOT SPECIFY. ASBESTOS AFFECTS LUNG FUN

| CTION.   |
|--|
| ======================================   |
| First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND QUIET!  |
| ======================================   |
| Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE  |
| ========= Accidental Release Measures ============   |
| Spill Release Procedures:EXCLUDE ALL FROM SPILL AREA EXCEP T TRAINED   |
| CLEAN-UP CREW. PROVIDE EXHAUST VENT WITH CAPTURE FILTRATION. DO NOT STIR UP DUST. USE WET METHOD OR APPROVED VACUUM CLEANING SYSTEM TO PICK UP SPILL. PLACE W ASTE IN DUST-TIGHT CONTAINER/PLASTIC BAG AND LABEL   |
| ======================================   |
| Handling and Storage Precautions:STORE IN DUST TIGHT CONTAINER IN CLEAN SECURE AREA.USE DUST SUPPRESSION CONTROL AT ALL STAGES OF HANDLING,USE AND DISPOSAL. Other Precautions:AVOID INHALA TION OF ASBESTOS. MONITOR WORK AREAS FOR EXPOSURE LEVELS. RETAIN MEDICAL RECORDS OF WORKERS FOR AT LEAST 20 YEARS. |
| ======= Exposure Controls/Personal Protection ========   |
| Respiratory Protection:NIOSH APPROVED RESPIARTOR FOR DUST AND ASBESTOS FIBER-1910.1001 Ventilation:LOCAL EXHAUST/MECHANICAL WITH CAPTURE FILTRATION. Protective Gloves:IMPERVIOUS Eye Protection:GOGGLES   |
| Other Protective Equipment:BODY-COVERING WORK CLOTH. SPECIAL VACUUMING FACILITY FOR CLOTH. SHOWER.   |

| CONTAMINATED CLOTHING. Supplemental Safety and Health                             |
|---|
| ========= Physical/Chemical Properties ===========                                |
| HCC:T6<br>Appearance and Odor:WHITE OR LIGHT GRAY FIBERS                          |
| ========= Stability and Reactivity Data ==========                                |
| Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE |
| Hazardous Decomposition Products:NONE   |
| ============= Disposal Considerations ====================================        |

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING, REMOVE

Waste Disposal Methods:SM & LG SPILL:DEPOSIT IN A POSTED TOXIC SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this do

cument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.