

HILLYARD CHEMICAL CO. -- REMOVER FLOOR POLISH -- 7930-00-045-6931

=====  
Product Identification  
=====

Product ID:REMOVER FLOOR POLISH

MSDS Date:01/01/1987

FSC:7930

NIIN:00-045-6931

MSDS Number: BCVZL

=== Responsible Party ===

Company Name:HILLYARD CHEMICAL CO.

Emergency Phone Num:816-233-1321

CAGE:DO351

=== Contractor Identification ===

Company Name:HILLYARD CHEMICAL CO

Address:302 NORTH FOURTH ST

REET

City:ST. JOSEPH

State:MO

ZIP:64502

Phone:816-233-1321

CAGE:DO351

Company Name:HILLYARD INDUSTRIES

Address:302 NORTH FOURTH STREET

Box:City:ST JOSEPH

State:MO

ZIP:64501

Country:US

Phone:816-233-1321 (EXT 2303)

CAGE:28745

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM METASILICATE

RTECS #:WC1400000

Fraction by Wt: 9%

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: .005%

OSHA PEL:S,200PPM/250STEL

ACGIH

TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:AVOID CONTACT W/EYES & SKIN WHEN HANDLING.  
CONCENTRATE IS AN EYE & SKIN IRRITANT.

===== First Aid Measures =====

First Aid:SKIN/EYES CONTACT:FLUSH W/PLENTY OF WATER F/AT LEAST 15  
MINUTES.FOR EYES CALL DR.REMOV&WASH ALL CONTAM CLOTHNG BEFORE  
REUSE.IF SWALLOWED DRINK MILK,EGG WHITES,GELAT  
INE SOLUTION OR IF  
NOT AVAIL,DRINK LG QTYS OF WATR CALL DR."NOTE TO DR:PROBABLE(SEE  
SUP

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH W/WATER; PICK UP W/WET VACUUM OR MOP.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT HIGH TEMPERATURES.

=====

= Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS

Ventilation:LOC EXHAUST-USE W/ADEQ VENTILAT

Supplemental Safety and Health

EMERG/FIRST AID:MUCOLSUSAL DAMAGE MAY CONTRAINDICATE USE OF GASTRIC  
LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION  
& CONVULSION MAY BE NEEDED.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F 100C

Vapor Density:>1

Spec Gravity:1.040

Evaporation

Rate & Reference: BUTYL ACETATE