View NSN Online: https://aerobasegroup.de/nsn/5910-00-053-4281

ELECTRICAL UTILITIES CO -- 6E8D50501 -- 5910-00-053-4281

Product ID:6E8D50501 MSDS Date:01/01/1985 FSC:5910 NIIN:00-053-4281 **MSDS Number: BCWFT** === Responsible Party === Company Name: ELECTRICAL UTILITIES CO Address:1 INDUSTRIAL DR Box:97 City:SNOW HILL State:NC ZIP:28580-0453 Country:US Emergency Phone Num:800-424-9300 Chemtrec Ind/Phone:(800)424-9300 CAGE:01102 === Contractor Identification === **Company Name: CAPTRON INC** Address:1 INDUSTRIAL DR Box:97 City:SNOW HILL State:NC ZIP:28580-0453 Country:US Phone:919-747-5943 CAGE:81133 Company Name: ELECTRICAL UTILITIES CO. Box:97 CAGE:01102 

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III) CAS:1336-36-3 RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Effects o

## f Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

| ======================================   |
|--|
| First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP<br>IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS<br>NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE<br>VOMITING,BUT DO NOT MAKE UNC ONSCIOUS PERSON VOMIT. |
| ======================================   |
| Spill Release Procedures: USE ABSORBENT & DIKES TO PREVENT<br>RUNOFF. ISOLATE & NOTIFY PROPER AUTHORITIES.   |
| ======================================   |
| Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.  |
| ======================================   |
| Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD<br>Ventilation:LOCAL EXHAUST<br>Protective Gloves:RUBBER-IMPERV<br>Eye Protection:GOGGLES,FACE SHIELD<br>Other Protecti<br>ve Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT  |
| Supplemental Safety and Health<br>OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES<br>EYES,NOSE THROAT.   |
| ======================================   |
| HCC:Z3<br>Appearance and Odor:LIGHT STRAW-COLORED LIQUID,AROMATIC ODOR   |
| ======================================   |
| STRONG OXIDIZERS   |
| ======================================   |

·

Waste Disposal Methods:CONTROLLE

## D DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advi ce to verify and

assume responsibility for the suitability of this information to their particular situation.