

COMMUNICATIONS INSTRUMENTS INC -- RP9466 LUBRICATION KIT -- 9150-00-054-1520

===== Product Identification =====

Product ID:RP9466 LUBRICATION KIT

MSDS Date:11/13/1985

FSC:9150

NIIN:00-054-1520

Kit Part:Y

MSDS Number: BCWGL

=== Responsible Party ===

Company Name:COMMUNICATIONS INSTRUMENTS INC

Address:HWY 74 EAST

Box:520

City:FAIRVIEW

State:NC

ZIP:28730

Country:US

Info Phone Num:704-628-1711

Emerge

ncy Phone Num:704-628-1711

CAGE:58614

=== Contractor Identification ===

Company Name:COMMUNICATIONS INSTRUMENTS INC

Address:HWY 74 EAST

Box:520

City:FAIRVIEW

State:NC

ZIP:28730

Country:US

Phone:704-628-1711

CAGE:58614

===== Composition/Information on Ingredients =====

Ingred Name:WHITE MINERAL OIL

CAS:8042-47-5

RTECS #:PY8047000

Fraction by Wt: 100%

Other REC Limits:5 MG/M3 AS OIL MIST

===== Hazards Identification =====

Routes of Entry: Inh

alation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ON RARE OCCASIONS, PROLONGED AND REPEATED EXPOSURE TO OIL MIST POSES A RISK OF PULMONARY DISEASE SUCH AS CHRONIC LUNG INFLAMMATION. THIS CONDITION IS USUALLY ASYMPTOMATIC AS A RESULT OF REPEATED SMALL ASPIRATIONS. SHORTNESS OF BREATH AND COUGH ARE THE MOST COMMON SYMPTOMS. ASPIRATION MAY LEAD TO CHEMICAL PNEUMONITIS.

Explanation of Carcinogenicity:THE COMPONE NTS OF THIS PRODUCT HAVE NOT SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.

Effects of Overexposure:INHALATION: PULMONARY EDEMA AND HEMORRAGE WHICH MAY BE FATAL. INCREASED RESPIRATION RATE, INCREASED HEART RATE, AND A BLUIISH DISCOLORATION OF THE SKIN. COUGHING, CHOKING, AND GAGGING ARE OFTEN NOTED A T THE TIME OF ASPIRATION. GASTROINTESTINAL DISCOMFORT MAY DEVELOP, FOLLOWED BY VOMITTING.

Medical Cond Aggravated by Exposure:PERSONS WITH A SKIN DISORDER SHOULD USE CAUTION WHEN H ANDLING OR USING THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE : IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: MAY ACT AS A LAXATIVE. DO NOT INDUCE VOMITING. RELATIVELY N ON-TOXIC UNLESS ASPIRATED.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:404F,207C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE BUT CAN BE USED TO COOL CONTAINERS EXPOSED TO HEAT OR FLAME. CAUTION SHOULD BE EXERCISED WHEN USING WATER OR FOAM AS FROTHING MAY OCCUR

Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHILE BURNING, CARBON MONOXIDE, C

ARBON DIOXIDE, AND OTHER OXIDES MAY BE
GENERATED AS PRODUCTS OF COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IMMEDIATELY. DO NOT ALLOW SPILL
TO ENTER SEWERS OR WATERCOURSES, REMOVE ALL SOURCES OF IGNITION.
ABSORB WITH APPROPRIATE INERT MATERIAL SUCH AS SAND, CLAY, ETC.
LARGE SPILLS MAY BE PICKE D UP USING VACUUM PUMPS, SHOVELS,
BUCKETS, ETC.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT TRANSFER TO UNMARKED
CONTAINERS. STORE IN CLOSED CONTAINERS AWAY FROM HEAT, SPARKS, OPEN
FLAME, OR OXIDIZING MATERIALS. COMBUSTIBLE LIQUID.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED ORGANIC VAPOR RESPIRATOR
WITH A DUST AND MIST FILTER IF REQUIRED. PROTECTION IS NOT REQUIRED
UNDER NORMAL USE CONDITIONS.

Venti
lation:LOCAL AND MECHANICAL EXHAUST RECOMMENDED IF VAPOR OR MIST
IS GENERATED WHEN THE MATERIAL IS HEATED OR HANDLED.

Protective Gloves:IMPERVIOUS SYNTHETIC RUBBER IF REQUIRED.

Eye Protection:USE CHEMICAL SAFETY GOGGLES & FACESHIELD

Other Protective Equipment:FOR PROLONGED OR REPEATED EXPOSURES, USE
IMPERVIOUS SYNTHETIC RUBBER CLOTHING (BOOTS, APRONS, ETC.).

Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT.
WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE I
N WORK
AREA.

Supplemental Safety and Health

THIS IS PART A OF A THREE PART KIT. SEE OTHER P/N INDS. THIS NSN, FOR
ADDITIONAL INFORMATION.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:571F,299C

Vapor Pres:1

Spec Gravity:0.88

Evaporation Rate & Reference: