

EASTMAN KODAK COMPANY -- 195 3116 KODAK EA-5 COLOR DVLPR,PART D-TO MAKE 38L(SEE SUPP) -- 6750-00-054-1975

===== Product Identification =====

Product ID:195 3116 KODAK EA-5 COLOR DVLPR,PART D-TO MAKE 38L(SEE SUPP)

MSDS Date:10/15/1997

FSC:6750

NIIN:00-054-1975

Kit Part:Y

MSDS Number: BCWGZ

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===

=====
Composition/Information on Ingredients
=====

Ingred
Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIA
MINE
CAS:25646-71-3
RTECS #:PB0431000
Fraction by Wt: 85-90%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CITRAZINIC ACID
CAS:99-11-6
RTECS #:NS1400000
Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: I
nhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:GENERAL:MAY CAUSE KIDNEY DMG BASED ON
ANIMAL DATA.INHAL:HARMFUL IF INHAL.AIRBORNE DUST IRRIT.EYE:CAUSES
IRRIT.AIRBORNE DUST IRRIT.HOWEVER IMMED FLUSH OF EYES W/WATER WILL
MIN ANY IRRITATIVE EFFECT.SKI N:CAUSES IRRIT.MAY CAUSE ALLERGIC
SKIN RX.INGEST:HARMFUL IF SWALLOWED.MAY CAUSE KIDNEY DMG BASED ON
ANIMAL(SIGN/SYMPT)
Explanation of Carcinogenicity:PER
MSDS:CARCINOGENICITY
CLASSIFICATION:IARC/ACGIH/NTP/OSHA:NONE. NO EVIDENCE OF
CARCINOGENICITY.
Effects of Overexposure:HEALTH:DATA.MAY CAUSE IRRIT OF GASTROINTESTINAL
TRACT. OVEREXPO:KIDNEY DMG,INHAL/INGEST HARMFUL,DUST IRRIT
EYE/INHAL.IRRIT SKIN,ALLERGIC RX,IRRIT GI TRACT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INHAL:MOVE TO FRESH AIR.TREAT SYMPTOMATIC.SYMPT PERSIST GET

MED ATTN.EYES:IMMED FLUSH W/PLENTY OF H2O @LEAST 15MINS.GET MED
ATTN.SKIN:IMMED FLUSH W/PLENTY,WASH W/NON-ALKALINE(ACID)TYPE SKIN
CLEANER.IR RIT/ALLERGIC RX DVLP GET MEDA TTN.REMOVE CONTAM
CLOTH/SHOES.INGEST:INDUCE VOMIT AS DIRECTED BY MED PERSONNEL.NEVER
GIVE ANYTHING BY MOUTH IF UNCONSC.CALL DR/POIS CNTRL CNTR IMMED.

===== Fire Fighting Measures =====

Flash Point:NA,COMBUST SOLID

Autoignition Temp:Autoignition Temp Text:NP

Extinguishing Me

dia:WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &
PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS
DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:POWDERED MATL MAY FORM EXPLOSIVE DUST-AIR
MIXTURES.FIRE OR HIGH TEMPERATURES MAY CAUSE EXPLOSIVE
DECOMPOSITION.

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT UP & PUT IN SUITABLE CONTAINERS.
AVOID

GENERATING DUST.CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL
CONTAMINATION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DONT GET IN EYE/SKIN/CLOTH.USE W/ADEQUATE
VENTI.KEEP CONTAINER CLOSED.ROUTINE USE OF NONALKALINE(ACID)TYPE HAND
CLEANER/REG WORKSURF/GLOVE/ETC CLEAN MIN SKIN RX.

Other Precautions:KEEP AWAY FROM HEAT.POWDERED MATL MAY FORM EXPLOSIVE
DUST-AIR MIX.MIN DUST GENERATION/ACCUMULATION.KEEP AWAY FROM IGNITION

SOURCES.REF:NFPA 654:PREV FIRE/DUST EXPLO IN CHEM,DYE,PHARM,PLASTIC
INDUST.KEEP FROM CONTACT W/OXIDIZING MATLS.AFT DIL W/LG AMTS (SUP)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROL DONT MAINTAIN AIRBORNE
CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS APPROVED RESPIRATOR
MUST BE WORN.RESP TYPE:DUST.IF RESP USED PROGRAM SHOULD BE INSTITUTED TO
ASSURE COMPLIANCE W/STD 29CFR191 0.134.

Ventilation:U

SE PROCESS ENCLOSURE, LOC EXHAU VENTI, OTHER ENGINEER CNTRL
TO MAINTAIN AIRBORNE LEVELS BEL RECOMMENDED EXPO LIMITS.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAF GLASSES W/SIDE SHIELDS, GOGG

Other Protective Equipment: EYEBATH, WASHING FACILITIES, SAFETY

SHOWER. PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE.

Work Hygienic Practices: WASH CONTA CLOTH BEF REUSE; DESTROY/CLEAN WELL
CONTAM SHOES. WASH THOROUGHLY AFT HNDLG. AVOID BREATH DUST @ CONC
> EXPO LIMIT

Supplemental Saf
ety and Health

TIR: CONSIST PN893 6437(PARTA,D) & PN863 7746(PARTB,C) TO MAKE COMPLETE
KIT. OTHER PRECAUT: OF WATER FOLLOWED BY 2ND WASTE TREAT MATL NOT
EXPECTED TO CAUSE ADVERSE ENVIRO EFFECTS.

===== Physical/Chemical Properties =====

HCC: N1

Boiling Pt: B.P. Text: >212F, >100C

Melt/Freeze Pt: M.P/F.P Text: N/AVAI

Decomp Temp: Decomp Text: NP

Vapor Pres: NEGLIGIBLE

Vapor Density: NA

Spec Gravity: N/AVAI

pH: NA

Viscosity: NP

Evaporation Rate & Reference: NP

Solubility in W

ater: APPRECIABLE

Appearance and Odor: SOLID, TAN COLOR, ODORLESS

Percent Volatiles by Volume: NA

Corrosion Rate: NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: STABLE, HOWEVER MATL CAN DECOMPOSE ABOVE
210C/410F. AVOID TEMPERATURES ABOVE 110C/230F.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES
OF NITROGEN, OXIDES OF SULFUR.

===== Di

sposal Considerations =====

Waste Disposal Methods:DISCH/TREAT/DISPO MAY BE SUBJ TO NAT/STATE/LOC
LAWS.INCINERATE.SINCE EMPTIED CNTNR RETAIN PRODUCT RESIDUE FOLLOW
LABEL WARN EVEN AFT EMPTY.CHEM SUBJ TO SARA 313 TITLE
III/40CFR372:NONE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied,
warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.