

PRODUCTS/TECHNIQUES, INC. -- PT-107 -- 5970-00-061-1974

===== Product Identification =====

Product ID:PT-107

MSDS Date:01/01/1985

FSC:5970

NIIN:00-061-1974

MSDS Number: BCWSG

=== Responsible Party ===

Company Name:PRODUCTS/TECHNIQUES, INC.

Address:3271 S RIVERSIDE AVE

City:RIALTO

State:CA

ZIP:92316

Country:US

Emergency Phone Num:909-877-3951

CAGE:06341

=== Contractor Identification ===

Company Name

e:PRODUCTS/TECHNIQUES INC

Address:3271 S RIVERSIDE AVE

Box:City:RIALTO

State:CA

ZIP:92376

Country:US

Phone:909-877-3951

CAGE:06341

===== Composition/Information on Ingredients =====

Ingred Name:SALICYLANILIDE; CAS #871-72-0

RTECS #:VN8750000

Fraction by Wt: 3.45%

ACGIH TLV:500PPM(PER MFR)

Ingred Name:FLAMMABLE LIQUIDS(TYPE NOT SPECIFIED)

Fraction by Wt: 96.5%

===== Hazards Identification =====

Effects of Overexposure:HEADACHE, NAUSEA, MODE

RATELY IRRITATING TO EYES
& SKIN.

=====
First Aid Measures
=====

First Aid:REMOVE VICTIM FROM VAPORS, RESTORE BREATHING IF NECESSARY.
REMOVE FROM SKIN WITH SOAP & WATER. FLUSH EYES WITH PLENTY OF
WATER.

=====
Fire Fighting Measures
=====

Flash Point:82F TCC
Lower Limits:1.1
Extinguishing Media:CO*2, FOAM OR DRY CHEMICAL.
Fire Fighting Procedures:DO NOT USE WATER.
Unusual Fire/Explosion Hazard:VAPORS MAY FORM
EXPLOSIVE MIXTURE BETWEEN
UPPER & LOWER EXPLOSIVE LIMITS.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE SOURCES OF IGNITION, APPLY SAWDUST OR
OTHER ABSORBENT MATERIAL. KEEP MATERIAL FROM SPREADING.

=====
Handling and Storage
=====

Handling and Storage Precautions:FLAMMABLE,STORE AWAY FROM OPEN FLAME &
HIGH HEAT.
Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED CONTACT WITH
SKIN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:FOR CONFINED AREAS USE BUREAU OF MINES
RESPIRATORY DEVICE.
Ventilation:AS REQUIRED TO CONTROL LEL IN AIR.
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:RUBBER SOLES,BM2304 CART;BM23-12
FILTERS,BM-23-13 FILTERCUPS
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F3
Boiling Pt:=107.2C, 225.F
B.P. Text:225-3

00F

Appearance and Odor:LIQUID

Percent Volatiles by Volume:52.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:CO, CO*2, ALDEHYDES & OTHER ORGANICS.

===== Disposal Considerations =====

Waste Disposal Methods:PUT IN APPROVED METAL CONTAINER & SEAL FOR
DISPOSAL & SHIP TO AN APPROVED DISPOSAL AREA.

Disclaimer (provided with this information by the
compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.