

MINNESOTA MINING & MFG CO -- EC-1945B -- 8040-00-065-6578

===== Product Identification =====

Product ID:EC-1945B
MSDS Date:01/01/1985
FSC:8040
NIIN:00-065-6578
Kit Part:Y
MSDS Number: BCXBH
=== Responsible Party ===
Company Name:MINNESOTA MINING & MFG CO
Address:3M CTR 224-2S-25
City:ST. PAUL
State:MN
ZIP:55144-1000
Country:US
Info Phone Num:612-733-1110
Emergency Phone Num:612-733-1110
CAGE:7638

1
=== Contractor Identification ===
Company Name:MINNESOTA MINING AND MFG CO, DBA 3M
Address:3M CENTER BLDG 224-5S-04
Box:City:SAINT PAUL
State:MN
ZIP:55144-1000
Country:US
Phone:866-556 5712 / 612-733-1110
CAGE:76381

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN (PIGMENTS)
Fraction by Wt: 53%

Ingred Name:METHYL ISOBUTYL KETONE
RTECS #:PO6125000
Fraction by Wt: 30%
ACGIH TLV:100PPM

Ingred Name:XYLOL
RTECS #:ZF1575000

===== Haz

ards Identification =====

Effects of Overexposure:IRRIT & POSS CONTCT DERMATITIS, MAY DEFAT SKIN.
LIGHT NARCOSIS FR PROLNGED INHALAT EXPOSUR.

===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP & WATER. EYE:FLUSH IMMED. W/PLENTY OF
WATER. SEEK MEDICAL ATTENTION. INHALATION:PROVIDE FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:70F CC 21C CC
Extinguishing Media:CO*2,FOAM, DRY C
HEMICAL

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP & DISCARD. USE ABSORPTIVE SWEEPING
COMPOUND

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED OR REPEATED BREATHING
OF VAPORS. USE IN WELL VENTILATED AREA. AVOID PROLNGED OR REPEATED
SKIN CONTCT.

Other Precautions:KEEP AWAY FROM HEAT, SPARKS & FLAMES.

===== Exposure Controls/Personal Protection

=====

Ventilation:LOC. EXHAUST
Supplemental Safety and Health
PROCURED UNDER EC-1945 B. KEY1:F3.

===== Physical/Chemical Properties =====

HCC:F3
Spec Gravity:1.3
Appearance and Odor:SOLVENT ODOR
Percent Volatiles by Volume:50

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by eleme

nts of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.