

THREE BOND OF AMERICA,INC. -- GRADE AA,GREEN -- 8030-00-081-2340
===== Product Identification =====

Product ID:GRADE AA,GREEN

MSDS Date:01/01/1987

FSC:8030

NIIN:00-081-2340

MSDS Number: BCXWR

=== Responsible Party ===

Company Name:THREE BOND OF AMERICA,INC.

Emergency Phone Num:213-556-3614

CAGE:DO698

=== Contractor Identification ===

Company Name:MILITARY SPECIFICATIONS PROMULGATED BY MILITARY
Ad

dress:DEPTS/AGENCIES UNDER AUTH OF DEF STD

Box:MANUAL

City:4120 3-M

Phone:804-279-4371 DSN 695-4371

CAGE:81349

Company Name:THREE BOND OF AMERICA, INC

Address:20815 HIGGINS COURT

Box:City:TORRANCE

State:CA

ZIP:90501

Phone:800-424-9300 CHEMTREC

CAGE:DO698

===== Composition/Information on Ingredients =====

Ingred Name:EPOXYLATEDBISPHENOL DIMETHACRYLATE

Fraction by Wt: 94%

Ingred Name:TERTIARY AMINE

Fraction by Wt: 2.8%

Ingred Name:CATALYST

Fraction by Wt: 3.2%

Ingred Name:ME

THACRYLATE ESTER

===== Hazards Identification =====

Effects of Overexposure: EYE & SKIN IRRITANT. EFFECT CAN BE DELAYED. POTENTIAL SKIN SENSITIZER. SLIGHTLY TOXIC (ACUTE ORAL TOXICITY)

===== First Aid Measures =====

First Aid: IN CASE OF CONTACT, FLUSH SKIN WITH PLENTY OF WATER; FOR EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES AND SEEK MEDICAL ATTENTION. WASH CONTAMINATED CLOTHING BEFORE REUSE. (DISCARD CONTAMINATED SHOES)

===== Fire Fighting Measures =====

Flash Point: >200°F CC >93°C

Extinguishing Media: FOAM, CARBONDIOXIDE OR DRY CHEMICAL, WATER SPRAY

Fire Fighting Procedures: EVAC. AREA OF ALL NON-EMERGENCY PERSONNEL. FIRE FIGHTERS MUST

Unusual Fire/Explosion Hazard: RAPID & VIOLENT POLYMERIZATION MAY OCCUR AT ELEVATED TEMPERATURES; HENCE; CONTAINERS MUST BE

===== Accidental Release Measures =====

Spill Release Procedures: AVOID EYE OR SKIN CONTACT OR ORAL

INGESTION. WEAR PROTECTIVE EQUIPMENT AS DESCRIBED IN SECTION VIII BELOW. WASH AREA THOROUGHLY AND COLLECT MATERIAL FOR INCINERATION.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN COOL PLACE IN ORIG. CONT.; KEEP OUT OF DIRECT SUNLIGHT. EMPLOYER SHOULD PROVIDE CHG OF CLOTHING, SHOES - AIR OUT DAILY (SEE OTHER PRECAUTIONS)

Other Precautions: WASH CLOTHES FREQUENTLY; DISCARD IF CONTAMINATED BY SPILL. AT END OF SHIFT BEFORE

CHANGING CLOTHES, TAKE HOT-TOUCH COLD-SHOWER TO REMOVE ANY TRACE OF VAPORS IN SKIN PORES

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NO SPECIAL VENTILATION REQD.

Ventilation: LOCAL EXHAUST PREFERRED. MECH (GEN), NORMAL VENTILATION ADEQUATE

Protective Gloves: IMPERVIOUS GLOVES

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment: IMPERVIOUS OVERSHOES AND PROTECTIVE CLOTHING

Supplemental Safety and Health

===== Physical =====

/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:EST.@760MMH

Vapor Density:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:0.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

PEROXIDES OR OTHER STRONG OXIDIZING AGENTS,IRON RUST,STRONG

Stability Condition to Avoid:TEMPERAT. ABOVE 90F,PROLONGED EXPOSURE TO
LIGHT,OPEN FLAME

Hazardous Decomposition Products:CARBON MONOXIDE,CAR
BON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:CHEMICAL INCINERATOR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.