

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC -- MIL-C-22750C EPOXY  
POLYAMIDE -- 8010-00-082-2434

=====  
Product Identification  
=====

Product ID:MIL-C-22750C EPOXY POLYAMIDE

MSDS Date:01/01/1985

FSC:8010

NIIN:00-082-2434

Kit Part:Y

MSDS Number: BCXXY

=== Responsible Party ===

Company Name:GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC

Address:CRYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS

Box:HW

Y

City:WASHINGTON

State:DC

ZIP:20406

Country:US

Info Phone Num:703-305-7510

Emergency Phone Num:703-305-7510

CAGE:80244

=== Contractor Identification ===

Company Name:GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC

Address:CRYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS

Box:HWY

City:WASHINGTON

State:DC

ZIP:20406

Country:US

CAGE:80244

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PIGMENTS

Fraction by Wt: 8.50%

Ingred Name:CATALYST

Fraction by Wt: 13.5%

Ingred Nam

e:VEHICLE  
Fraction by Wt: 18.0%

Ingred Name:SOLVENTS  
Fraction by Wt: 58.5%

Ingred Name:ADDITIVES  
Fraction by Wt: 1.50%

=====  
Hazards Identification  
=====

Effects of Overexposure:ANESTHETIC,HEADACHE,NAUSEA,DIZZINESS IRRITATION  
TO SKIN AND EYES.

=====  
First Aid Measures  
=====

First Aid:IN CASE OF CONTACT,FLUSH EYES OR SKIN WITH PLENTY OF WATER.  
FRESH AIR.

=====  
Fire Fighting Measures  
=====

Flash Point:41 FTCC 5 C  
Extinguishing Media:FOAM,CO\*2, DRY CHEMICALS

=====  
Accidental Release Measures  
=====

Spill Release Procedures:AVOID OPEN FLAMES OR SPARK SOURCES.PROVIDE  
ADEQUATE VENTILATION.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID OPEN FLAMES,AVOID SPLASH  
FILLING,STORE IN SEALED CONTAINERS,CLOSED.AVOID SKIN AND EYE  
CONTACT WASH IMMEDIATELY WITH WATER AFTER CONTACT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:ORGANIC MASK  
Ventilation:LOCAL EXHAUST-RECOMMENDED-MECH.APPRVD CLASS D MOTOR AND SWI  
Protective Gloves:NEOPRENE COVERE  
Eye Protection:YES  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:F2  
Spec Gravity:1.20  
Solubility in Water:INSOUBLE  
Appearance and Odor:GREY WITH BENZOL LIKE ODOR.  
Percent Volatiles by Volume:58.5

=====  
Stability an

d Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

===== Disposal Considerations =====

Waste Disposal Methods: EVAPORATE OR FLUSH WITH WATER TO  
OPEN, WELL-VENTILATED AREA. USE OIL SEWER IF AVAILABLE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, w  
arrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.