

PRATT & LAMBERT-WICHITA DIV. -- 745104 ENAMEL ALKYD SG RED 21136 -- 8010-00-087-0102  
===== Product Identification =====

Product ID:745104 ENAMEL ALKYD SG RED 21136

MSDS Date:01/01/1985

FSC:8010

NIIN:00-087-0102

MSDS Number: BCYGW

=== Responsible Party ===

Company Name:PRATT & LAMBERT-WICHITA DIV.

Emergency Phone Num:316-733-1361

CAGE:KO010

=== Contractor Identification ===

Company Name:PRATT & LA

MBERT-WICHITA DIV.

Box:2153

CAGE:KO010

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 45%

ACGIH TLV:500PPM

===== Hazards Identification =====

Effects of Overexposure:INHAL:ANEST IRRITATION OF RESPIRATORY TRACT OR  
ACUT NERV SYS

DEPRSSN,HDACH,DIZZ,CONFUSN,UNCON,COMA.

=====  
===== First Aid Measures =====

First Aid:IN CASE OF CONTCT,FLUSH SKIN & EYES W/PLENTY OF WATER WHILE REMOVING CONTAMINATED CLOTHING.IF INHALED, REMOVE TO FRESH AIR. CALL A DR IF SYMPTOMS PERSIST.

=====  
===== Fire Fighting Measures =====

Flash Point:104 F TCC 40 C

Extinguishing Media:CO\*2,DRY CHEM OR ALCOHOL FOAM.POLYMR FOAM RECOMM F/LG FIRES

Fire Fighting Procedures:SELF-CONT ND BREATHING APPARAT WATR SPRAY MAY BE INEFFECTIVE

Unusual Fire/Explosion Hazard:KP CONTNRS TIGHTLY CLOS.ISOLAT FR HEAT,ELECTR EQUIPMT,SPARKS & OPN FLAME.CLOS CONTNRS MAY EXPLOD(SUP

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAMES,HOT SURFACES, & ELECTRICAL, STATIC, OR FRICTIONAL SPARKS).AVOID BREATHING VAPORS. VENTILATE AREA. REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120 F STORE LG QUANTITIES IN BLDG DESIGNED TO COMPLY W/OSHA 1910.106.

Other Precautions:CONTNRS SHLD BE GRNDED WHN POURNG.AVD FRE FAL OF LIQD IN EXCES OF FEW INCH.DO NOT FLAME CUT,BRAZ,WELD COATED MATRL W/O BUR MNES APRVD RESPIRAT OR APPROP VENT.AD WARN LABL-DO NOT TAKE INTERNALY

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:MECH FI LTR RESPIRAT TO REMOV SOLID AIR BORNE PARTICL/OVERSPRAY INDOR

Ventilation:LOC EXHAUS VENTIL TO KP TLV OF HAZARD INGRED BELO ACCEP LIMT

Protective Gloves:F/PRLNG/REPEAT

Eye Protection:SAFTY EYEW R PROTECT AGNST

Other Protective Equipment:PREVNT PRLNG SKN CONTCT TO CONTAMINATED CLOTHING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:311-373 F

Vapor Density:HEAV

Percent Volatiles by Volume:60

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: AVOID FIRES, HEAT, & HOT SURFACES.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. INCINERATE IN APPRVD FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated fo

r use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.