

LOCTITE CORPORATION -- 290 ADHESIVE/SEALANT, 29031

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-111-2762
MSDS Date: 05/24/1991
MSDS Num: BCZBV
Product ID: 290 ADHESIVE/SEALANT, 29031
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 705 NORTH MOUNTAIN ROAD
City: NEWINGTON
CT 06111
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

=====
Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BT
Quantitative Expression: 00000000050CC
UI Container Qty: 0

=====
Ingredients
=====

Cas: 25852-47-5
Name: POLYGLYCOL DIMETHACRYLATES 90-95%
% Wt: 90-95
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

Cas: 80-15-9
RTECS #: MX2450000
Name: HYDROPEROXIDE, ALPHA, ALPHA-DIMETHYLBENZYL-; (HY

DROPEROXIDE) (SARA III)

% Wt: 3-4

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

EPA Rpt Qty: 10 LBS

DOT Rpt Qty: 10 LBS

Cas: 81-07-2

RTECS #: DE4200000

Name: 1,2-BENZISOTHIAZOLIN-3-ONE, 1,1-DIOXIDE; (SACCHARIN) (SARA III)

% Wt: 1-3

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

EPA Rpt Qty: 100 LBS

DOT Rpt Qty: 100 LBS

Cas: 613-48-9

Name: N,N-DIALKYL TOLUIDINES

% Wt: < 1

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

RTECS #: 9999999VO

Name: VOLATILE ORGANIC COMPOUNDS: 12.6%

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50: (ORAL) > 10,000 MG/KG

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: YES

IARC: YES

OSHA: NO

Effects of Exposure: DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

Explanation Of Car

cinogenicity: SACCHARIN: IARC MONOGRAPHS, SUPP 7, P 334,

1987: GROUP 2B. ANTICIPATED TO BE CARCINOGEN, NTP 7TH ANN REPORT, 1994 (FP N)

Signs And Symptions Of Overexposure: SEE HEALTH HAZARD.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE

OXYGEN/ARTIFICIAL RESPIRATION) (FP N). EYES: FLUSH WITH WATER FOR AT LEAST 15

MINUTES. SKIN: WASH WITH WATER. INGEST: DO NOT INDUCE VOMITING. KEEP I

NDIVIDUAL CALM & CALL MD.

=====

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: MANUFACTURER RECOMMEND BURYING OR INCINERATION. DISPOSAL METHODS MUST BE IAW,FEDERAL,STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: STORE < 110F; 43C TO PRESERVE SHELF-LIFE.

Other Precautions: AVOID PROLONGED SKIN CONTACT WHEN HANDLING PRODUCT.
=====

Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Extinguishing Media: CO*2, FOAM, DRY CHEMICAL

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE
=====

Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: RUBBER, PLASTIC

Eye Protection: ANSI APPROVED CHEM SAFETY GOGGLES (FP N)

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.
=====

Physical/Chemical Properties
=====

HCC: N1

B.P. Text: >300F,>149C

Vapor Pres: < 5

Spec Gravity: 1.07

Solubility in Water: SLIGHT

Appearance and Odor: GREEN LIQUID, MILD ODOR
=====

Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NO

NE SPECIFIED BY MANUFACTURER.
Materials To Avoid: WILL ATTACK SOME THERMOPLASTICS
Hazardous Decomposition Products: NONE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

=====
Responsible Party Cage: 05972
Trans ID NO: 48040
Product ID: 290 ADHESIVE/SEALANT, 29031
MSDS Prepared Date: 05/24/1991
Review Date: 03/19/1998
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: BT
Container QTY: 0
Additional Data: NOT REGULATED FOR SHIPPING(SEALING COMPOUND).

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NO

T REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: 290 ADHESIVE/SEALANT, 29031
Cage: 05972
Company Name: LOCTITE CORPORATION
Street: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT
Zipcode: 06067-3910
Health Emergency Phone: 203-278-1280
Label Required IND: Y
Date Of Label Review: 04/14/1994
Status Code: C
Label Date: 04/14/1994
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: COMBUSTIBLE. ACYTE:DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. CHRONIC: CANCER HAZARD. CO

CONTAINS SACCHARIN, WHICH IS LISTED AS A URINARY TRACT CARCINOGEN (FP N).

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.