

3M -- SCOTCH-WELD STRUCT FILM, AF-126-2, TY 1 CL 2

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-116-1437
MSDS Date: 09/14/1992
MSDS Num: BCZMR
Product ID: SCOTCH-WELD STRUCT FILM, AF-126-2, TY 1 CL 2
MFN: 01
Responsible Party
Cage: 0F0U5
Name: 3M
Address: 3M CENTER
City: ST PAUL MN 55144-1000
|
Info Phone Number: 612-733-1110
Emergency Phone Number: 612-733-1110
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 04963
Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV
Address: 3M CTR
City: SAINT PAUL MN 55144-1000
Phone: 800-364-3577/651-737-6501(24 HOURS)
Cage: 0F0U5
Name: PACEBROOK LTD
Address: 15 GOSDITCH ST
City: CIRENCESTER GLOS GL7 2AG NK 00000
Country: UK

Phone: NONE

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Specification Number: MMM-A-132
Unit of Issue: RO
Quantitative Expression: 00000000500SF
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE:MILD IRRIT: SIGNS/SYMPS CAN INCLUDE REDNESS, SWELLING, PAIN & TEARING. VAPS FROM HEATED MATL MAY CAUSE IRRIT. DUST CREATED BY CUTTING, GRINDING, SANDING/MACHINING MAY CAUSE IRRIT. SKIN:AL

LERGIC SK IN

RXN: SIGNS/SYMPS CAN INCLUDE REDNESS, SWELLING, BLISTERING & ITCHING. MILD SKIN IRRIT (AFTER PRLNG/ (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptoms Of Overexposure: HLTH HAZ:RPTD CONT):SIGNS/SYMPS CAN INCL REDNESS, SWELL & ITCH. INHAL:VAPS OF HEATED MATL MAY CAUSE RESP SYS IRRIT. DUST FROM CUTTING, GRINDING, SANDING/MACHINING MAY CAUSE IRRIT OF RESP SYS. INGEST:M AY CAUSE IRRIT OF GI TISS:SIGNS/SYMPS CAN INCL PAIN, VOMIT, ABDOM

TENDERNESS, NAUS, BLOOD IN VOMITUS & BLOOD IN FECES.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:IMMEDIATELY FLUSH W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN:FLUSH W/LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHAL:REMOV E PERSON TO FRESH AIR. IF SIGNS/SYMPTOMS CONTINUE, CALL MD. INGEST:DO NOT INDUCE VOMITING. DRINK TWO GLASSES OF WATER. CALL MD.

=====
Handling and Disposal
=====

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE UNCURED WASTE IN INDUSTRIAL OR COMMERCIAL INCINERATOR. DISPOSE OF COMPLETELY CURED (OR POLYMERIZED) MATL IN A SANITARY LANDFILL. SINCE REGS VARY, CONSULT APPLIC FEDERAL, STATE & LOCAL REGS OR AUTHORITIES BEFORE DISPOSAL.

Handling And Storage Precautions: AVOID EYE CONTACT. AVOID SKIN CONTACT.

AVOID INHALATION OF VAPORS CREATED DURING CURE CYCLE. AVOID INHAL OF DUST CREATED BY CUTTING, SANDING/GRINDING.

Other Precautions: USE WATER AS LUBRICANT ON MACHINING TOOLS TO ELIM DUST & IMPROVE MACHINABILITY OF CURED PARTS. STORE AT TEMPS WHICH ARE <32F(0C). ALLOW MATL TO RETURN TO ROOM TEMP BEFORE USE. KEEP OUT OF REACH OF CHI LDREN.

=====
Fire and Explosion Hazard Information
=====

====

Extinguishing Media: WATER,CO*2,FOAM,DRY CHEMICAL

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

=====

Control Measures

=====

Respiratory Protection: SELECT ONE OF THE FOLLOWING NIOSH/MSHA APPROVED RESPIRATORS BASED ON AIRBORNE CONCENTRATION OF CONTAMINANTS & I/A/W OSHA REGULATIONS: HALF-MASK DUST RESPIRATOR.

Ventilation: PROVIDE APPR

OP LOC EXHST FOR GRINDING, CUTTING/SANDING CURED MATL.

CURING OVENS MUST BE EXHSTD TO OUTDOORS/TO (SUPDAT)

Protective Gloves: POLYETHYLENE/ETHYLENE VINYL (SUPP DATA)

Eye Protection: VENTED GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.WER (FP N).

Work Hygienic Practices: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.

WASH EXPOSED AREAS THOROUGHLY W/SOAP & WATER.

Supplemental Safety and Health: VENT:SUITABLE EMISSION CONTROL DEVICE. IF EXHST VENT IS NOT ADEQ, USE

APPROP NIOSH/MSHA APPRVD RESP PROT. PROT

GLOVES:ALCOHOL, POLYVINYL ALCOHOL GLOVES.

=====

Physical/Chemical Properties

=====

HCC: N1

Solubility in Water: NOT SOLUBLE

Appearance and Odor: FILM ON WHITE LINER, GRAY; ESSENTIALLY NO ODOR.

Percent Volatiles by Volume: 0 (WT)

=====

Reactivity Data

=====

=

Stability Indicator: YES

Stability Condition To Avoid: HEAT.

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE & OXIDES OF NITROGEN.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====

Toxicological Information

=====

=====

Ecological I

Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Code: 0F0U5

Trans ID NO: 48465

Product ID: SCOTCH-WELD STRUCT FILM, AF-126-2, TY 1 CL 2

MSDS Prepared Date: 09/14/1992

Review Date: 06/14/1995

MFN: 1

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: RO

Container QTY: 0

Additional Data: NOT REGULATED FOR SHIPPING.

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Cod

e: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label
=====

Product ID: SCOTCH-WELD STRUCT FILM, AF-126-2, TY 1 CL 2

Cage: 0F0U5

C

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000

Country: UK

Health Emergency Phone: 612-733-1110

Label Required IND: Y

Date Of Label Review: 04/18/1994

Status Code: C

Label Date: 04/18/1994

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Moderate

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: ACUTE:EYE:MILD IRRIT:S

IGNS/SYMPS CAN INCL REDNESS,

SWELL, PAIN & TEARING. VAPS FROM HEATED MATL MAY CAUSE IRRIT. DUST
CREATED BY CUTTING, GRINDING, SANDING/MACHINING MAY CAUSE IRRIT.

SKIN:ALLERGIC SKI N RXN:SIGNS/SYMPS CAN INCL REDNESS, SWELL, BLISTERING &

ITCH. MILD SKIN IRRIT(AFTER PRLNG/RPTD CONT):SIGNS/SYMPS CAN INCL REDNESS,

SWELL & ITCH. INHAL:VAPS OF HEATED MATL MAY CAUSE RESP SYS IRRIT. DUS T

FROM CUTTING, GRINDING, SANDING/MACHINING MAY CAUSE IRRIT OF RESP SYS.

INGEST:MAY CAUSE IRRI

T OF GI TISS:SIGNS/SYMPS CAN INCL PAIN, VOMIT, ABDOM
TENDERNESS, NAUS, BLOOD IN VOMITUS & BLOOD IN FECES. CHRONIC:NONE LISTED
BY MANUFACTURER.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any ap
plication, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situa
tion regardless of similarity to a corresponding Department
of Defense or other government situation.