

AEROSPACE LUBRICANTS INC. -- TRIBOLUBE-1 -- 9150-00-128-8032

=====  
Product Identification  
=====

Product ID:TRIBOLUBE-1

MSDS Date:09/26/1996

FSC:9150

NIIN:00-128-8032

MSDS Number: BCZYH

=== Responsible Party ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1505 DELASHMUT AVE

City:COLUMBUS

State:OH

ZIP:43212-2641

Country:US

Info Phone Num:614-291-3045

Emergency Phone Num:614-291-3045

Preparer's N

ame:STEPHEN E GATES

CAGE:66164

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

Company Name:AEROSPACE LUBRICANTS INC.

Address:1600 GEORGESVILLE RD

Box:City:COLUMBUS

State:OH

ZIP:43228

Country:US

Phone:614-878-3600

CAGE:66164

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

===

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:SKIN. ACUTE- NONE.

PROLONGED/REPEATED SKIN CONTACT MAY CAUSE MILD IRRITATION IN SOME INDIVIDUALS. CHRONIC- N ONE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:MILD SKIN IRRITATION

Medical Cond Aggravated by Exposure:NONE

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:FLUSH WITH PLENTY OF WATER. SKIN:WIPE OFF AND WASH WITH SOAP & WATER. ORAL:SEEK MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Autoignition Temp:Autoignition Temp Text:>50 OF

Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL. DIRECTLY SPRAYING WATER/FOAM ONTO BURNING OIL MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:TOXIC FLUORINE GASES

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. RECOVER FREE

PRODUCT. REMOVE SPILL WITH INERT ABORBENT SUCH AS SAWDUST, DIATOMACEOUS EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. SPILL CAUSES SLIPPERY SURFACE.

Neutralizing Agent:NOT RELEVANT

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AWAY FROM STRONG OXIDIZING AGENTS & FLAMMABLES. KEEP CONTAINER TIGHTLY CLOSED. KEEP OUT OF REACH OF CHILDREN. USE REASONABLE CARE.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR

ON CLOTHING. WASH

THOROUGHLY AFTER HANDLING. EMPTY CONTAINER RETAINS PRODUCT RESIDUE.  
OBSERVE ALL PRECAUTIONS GIVEN IN THE MATERIAL SAFETY DATA SHEET. DO  
NOT STORE ABOVE 250F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL CONDITIONS. IF HIGH  
VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED  
RESPIRATOR FOR ORGANIC VAPORS AND MISTS.

Ventilation:ADEQUATE

Protective Gloves:LATEX, RUBBER RECOMMENDE

D

Eye Protection:SAFETY GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.  
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. WASH BEFORE EATING OR DRINKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>500F,>260C

Decomp Temp:Decomp Text:>550F,>28

8C

Vapor Pres: