

BOSTIK-FINCH, INC. -- BOSTIK -- 8010-00-138-1760

=====
Product Identification
=====

Product ID:BOSTIK

MSDS Date:01/01/1985

FSC:8010

NIIN:00-138-1760

Kit Part:Y

MSDS Number: BDBHW

=== Responsible Party ===

Company Name:BOSTIK-FINCH, INC.

Address:434 W. MEAT ST.

City:ORANGE

State:CA

ZIP:92661

Country:US

CAGE:KO195

=== Contractor Identification ===

Company Name:AKZO COATINGS INC

Address:434 W. MEATS

STREET

Box:City:ORANGE

State:CA

ZIP:92661

Country:US

Phone:714-637-1750; CHEMTREC 800-424-9300

CAGE:98502

Company Name:BOSTIK-FINCH, INC.

Address:434 W. MEAT ST.

Box:City:ORANGE

State:CA

ZIP:92661

Country:US

CAGE:KO195

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENTS

Fraction by Wt: 45.0%

ACGIH TLV:00-400 PPM

Ingred Name:POLYESTER RESIN

Fraction by Wt: 19.1%

Ingred Name:ISOCYANADTE PREPOLYMER(ALIPHATIC)

Fraction by Wt: 16.5%

Ingred Name:PIGMENTS

Fra

ction by Wt: 19.2%

Ingred Name:ADDITIVES

Fraction by Wt: 0.2%

=====
Hazards Identification
=====

Effects of Overexposure:INHALE-IRRITATION NOSE & THROAT. MAY CAUSE
NAUSEA OR VOMITING. MAY CAUSE EYE & SKIN IRRITATION.

=====
First Aid Measures
=====

First Aid:SKIN-WASH WITH SOAP & WATER. EYE-FLUSH WITH WATER; CONSULT
DOCTOR. INHALE-REMOVE TO FRESH AIR;CONSULT DOCTOR. INGESTION.
INDUCE VOMITING; CONSULT DOCTOR.

=====
Fire Fighting Measures
=====

Flash Point:23F, -5C TCC

Lower Limits:1.1

Extinguishing Media:CO2 O DRY CHEM FOR SMALL; ALCOHOL FOAM FOR LARGE
FIRES.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. USE AIR SUPPLIED
RESCUE EQUIPMENT.

Unusual Fire/Explosion Hazard:DO NOT APPLY TO HEATED SURFACES OR IN
AREAS WHERE ELECTTRICAL SPARKS MAY BE PRESENT.

=====
Accidental Release Measures
=====

Spill Release Procedures:AB

SORB WITH SAWDUST OR OIL ABSORBING COMPOUND.

WASH AREA WITH DETERGENT AND WATER. USE ADEQUATE VENTILATION TO
CLEAR FUMES FROM AREA. AVOID SPARKS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE UNDER 100F. KEEP AWAY HEAT,
SPARKS & OPEN FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:DO NOT STORE OR MIX WITH STRONG OXIDANTS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Pr

rotection: AIR SUPPLIED RESPIRATOR OR SUITABLE CHEMICAL
CARTRIDGE.

Ventilation: TO MEET TLV

Protective Gloves: SOLVEN RESISTANT

Eye Protection: GOGGLES OR FACE SHIELD.

Other Protective Equipment: COVERALLS, APRON, NON-SPARKING SAFETY SHOES,
ETC.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: F2

Boiling Pt: B.P. Text: 175-320F

Vapor Density: > AIR

Evaporation Rate & Reference: