

TRUFLEX RUBBER PRODUCTS COMPANY -- XC RAPID CLEAN-CODE 40 (SEE ADDITIONL DATA) --
2640-00-138-8324

=====
===== Product Identification =====

Product ID:XC RAPID CLEAN-CODE 40 (SEE ADDITIONL DATA)

MSDS Date:01/01/1987

FSC:2640

NIIN:00-138-8324

MSDS Number: BDBJS

=== Responsible Party ===

Company Name:TRUFLEX RUBBER PRODUCTS COMPANY

Address:1667 N MAIN ST TERMINAL ANNEX

Box:2978

City:LOS ANGELES

State:CA

ZIP:90051

Country:US

CAGE:28954

=== Contractor Identification ===

Company Name:TRUFLEX/PANG RUBBER PRODUCTS CO

Address:1667 N MAIN ST

Box:City:LOS ANGELES

State:CA

ZIP:90012

Country:US

Phone:213-224-6300

CAGE:28954

=====
===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 93.5%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 L

BS

Ozone Depleting Chemical:1

Ingred Name:UNIDENTIFIED COMPONENTS

=====
Hazards Identification
=====

Effects of Overexposure:EYES:PAIN & IRRITATIONS;SKIN:IRRIT,POSS
DERMATITIS;INHAL:IRRIT,DIZZ,NAUSEA,HEAD;INGEST:LOW TOXICITY

=====
First Aid Measures
=====

First Aid:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T
INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF
NEED. KEEP WARM & QU
IET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE
ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

=====
Fire Fighting Measures
=====

Flash Point:NONE

Extinguishing Media:WATER FOG

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.

Unusual Fire/Explosion Hazard:CONC VAP CAN BE IGNTD WITH A HIGH ENERGY
SPARK/FLAME.BURNING CAN PRODUCE HCL OR TRACES OF PHOSGENE.

=====
Accidental Release Measures
=====

Spill

Release Procedures:SM SPILL:MOP UP,WIPE UP OR USE SORBENT;LG
SPIL:EVACUATEUNPRTOCTD PERSONS.WEAR PROTECTIVE EQUIP.RMV IGN
SOURCES.DIKE LIQUID FAR AHEAD TO CONTAIN LIQUID.TRANSFER LIQ TO
CLOSED CONTAINERS.KEEP OUT OF WAT ER SUPPLY.DO NOT FLUSH TO SEWER

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOS

ED

Other Precautions:VAPORS ARE HEAVY THAN AIR & WILL COLLECT IN LOW AREAS.USE SPECIAL BREATHING EQUIP IN THESE & CONFINED AREAS.AVOID BREATHING VAP.DONOT STORE IN ALUMINUM CONTAINERS.AVOID WELDING ON/NEAR FULL/EMPTY CO

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA-APPROVED ORGANIC VAP RESPIRATOR FOR EMERGENCIES

Ventilation:LOCAL EXHAUST PREFERRED,MECHANICAL EXHAUST ACCEPTABLE.

Protective Gloves:NEOPRENE/VITON

Eye Protection:

CHEM SPLASH GOGGLES

Other Protective Equipment:EYE-WASH STATION & SAFETY SHOWER SHOULD BE READILY AVAILABL

Supplemental Safety and Health

MSDS FROM TRUFLEX CO DATED:11/22/85;THIS NSN IS A PART OF THE KIT UNDER NSN 2640-00-052-6724 & 2640-00-102-0978

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:165F/74C

Vapor Pres:100

Vapor Density:4.55

Spec Gravity:1.320

Evaporation Rate & Reference:0.35(ETHER,ETHYL=1

Solubility in Water:NEGLIGIBL

E

Appearance and Odor:CLEAR LIQUID WITH ETHER-LIKE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG CAUSTICS & OXIDIZERS

Stability Condition to Avoid:HEAT, IGNITION SOURCES

Hazardous Decomposition Products:MAY EMIT HCL AND/OR PHOSGENE GAS WHEN INVOLVED IN BURNING

===== Disposal Considerations =====

Waste Disposal Methods:LIQ SOLVENT MAY BE SHIPPED TO LICENSED RECLAIMER.CONTAMINAT

ED ABSORBENT MUST BE DISPOSED OF IN A PERMITTED
HAZARDOUS WASTE MANAGEMENT FACILITY I/A/W FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.