

BEECHAM HOME IMPROVEMENT PRODUCTS INC -- DAP WELDWOOD CONTACT CEMENT --
8040-00-142-9193

=====
Product Identification
=====

Product ID:DAP WELDWOOD CONTACT CEMENT
MSDS Date:01/01/1987
FSC:8040
NIIN:00-142-9193
MSDS Number: BDBSG
=== Responsible Party ===
Company Name:BEECHAM HOME IMPROVEMENT PRODUCTS INC
Address:855 N 3RD ST
City:TIPP CITY
State:OH
ZIP:45371-3014
Country:US
CAGE:1BL51
=== Contrac
tor Identification ===
Company Name:BEECHAM HOME IMPROVEMENT PRODUCTS INC
Address:855 N 3RD ST
Box:277
City:TIPP CITY
State:OH
ZIP:45371-3014
Country:US
CAGE:1BL51

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE (N-HEXANE)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: -45%
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: -28%
OSHA PEL:200 PPM/150 STE

L
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: -28%
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:ACUTE:ANESTHETIC.CAUSE IRRIT OF THE RESPIR
TRACT,HDACH,DIZZ,NAUSEA OR UNCONSCIOUSNESS.SUPP DATA.

=====
First Aid Measures
=====

First Aid:INHAL:REMOVE TO FRESH AIR,RESTORE BREATH.CONTACT A
PHYSICIAN.EYE:FLUSH W/ LARGE AMOUNTS OF WATER.CONTACT A
PHYSICIAN.SKIN:WASH W/ SOAP & WATER.CONSLT A PHYSICIAN IF IRRIT
DEVELOPS.INGEST:DO NOT INDUCE VOMIT.GIVE WATER OR MILK.CONTACT A
PHYSIC IMMED

=====
Fire Fighting Measures
=====

Flash Point:-50--20F CC
Lower Limits:1.2
Upper Limits:12.8
Extinguishing Media:FOAM,CO*2,DRY CHEMICALS
Fire Fighting Procedures:FULL PROTECT EQUI
P.SCBA.DO NOT USE STRAIGHT
HOSE H*20 STREAM
Unusual Fire/Explosion Hazard:CONTNR MAY EXPLO IF EXPO TO EXTREME
HEAT.ISOLATE FROM HEAT,FLAMES.DO NOT PUT IN CONTACT W/ OXID MAT.

=====
Accidental Release Measures
=====

Spill Release Procedures:SMALL:USE ABSORB MAT OR SCRAPE UP DRIED MAT &
PLACE INTO CONTAINER.LARGE:WEAR PROTECT EQUIP.ELIMINATE ALL SOURCES
OF IGNIT & VENT AREA.CONTAIN SPILL BY DIKING.ABSRB W/ ABSORB
MAT.WASH W/ NONFLAM SOLVE NT:1,1,1-

TRICHLOROETHANE.PREVENT RUN-OFF.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTNR FROM HEAT,FLAMES & DIRECT SUNLIGHT.DO NOT STORE AT TEMP ABOVE 120F.PROVIDE CROSS VENT IN STORAGE AREA.KEEP CONTNR TIGHTLY CLOSED.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.CONTAINS FLAMMABLE SOLVENT.VAPOR HARMFUL & MAY CAUSE FLASH FIRE.HARMFUL OR FATAL IF SWALLOW.USE ONLY W/ ADEQUATE VENT & ELIMINATE SOURCE OF IGNIT WHEN USI NG PROD.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPRVD NIOSH/MSHA RESPIR.CONSULT 29CFR1910.134 FOR RESP. REQUIRE
Ventilation:LOCAL OR GENERAL EXHAUST TO MAINTAIN BELOW TLV
Protective Gloves:IMPERVIOUS
Eye Protection:GOGG,SAFE GLASS;SIDE SHLD
Other Protective Equipment:PROVIDE EYE WASH & SOLVENT IMPERVIOUS APRON.BARRIER CREAM.
Supplemental Safety and Health
MSDS PREP:APR 4,2986.FLASH POINT:-45--29C.MAY BURN OR IRRIT EYES & CAUS E DRYING OR CRACKING OF SKIN.IF INGESTED CAUSES NAUSEA,VOMIT,DIARRHEA,DEPRESSED RESPIR.SPEC:1 TYPE AND 1 CLASS.

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:131F,56C
Vapor Pres:400
Vapor Density:2
Spec Gravity:0.81
Evaporation Rate & Reference:>1(BU AC=1)
Solubility in Water:INSOLUBLE
Appearance and Odor:TAN MOBILE LIQUID,GASOLINE-LIKE ODOR
Percent Volatiles by Volume:85

=====
===== Stability and Reactivity Data =====

S

tability Indicator/Materials to Avoid: YES
STRONG OXIDIZERS AND CAUSTICS
Stability Condition to Avoid: EXCESSIVE HEAT
Hazardous Decomposition Products: NORMAL COMBUSTION PRODUCTS, CO*X, NO*X

===== Disposal Considerations =====

Waste Disposal Methods: DISCARDED SPILL RESIDUE MAY BE INCINERATED. DO NOT INCINERATE SEALED CONTNR. DISPOSE ACCORD TO FED, STATE & LOCAL REGULATIONS. LIQUIDS CANNOT BE DISPOSED OF IN A LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.