View NSN Online: https://aerobasegroup.de/nsn/6850-00-142-9247

ALLIED CHEMICAL CORPORATION -- GENETRON 12 & GENESOLV D SOLVENT -- 6850-00-142-9247

Product ID:GENETRON 12 & GENESOLV D SOLVENT

MSDS Date:01/01/1987

FSC:6850

NIIN:00-142-9247

MSDS Number: BDBSJ === Responsible Party ===

Company Name: ALLIED CHEMICAL CORPORATION

Address: COLUMBIA RD & PARK AVE

Box:1087R

City:MORRISTOWN

State:NJ ZIP:07960 Country:US

Emergency Phone N

um:NONE CAGE:1L168

=== Contractor Identification ===

Company Name: ALLIED CHEMICAL COMPANY

Box:1087R CAGE:1L168

Company Name: ALLIED-SIGNAL INC

Address:Box:2332R City:MORRISTOWN

State:NJ

ZIP:07962-2332 Country:US

Phone:201-455-4414

CAGE:1L164

====== Composition/Information on Ingredients ========

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA

III)

CAS:76-13-1

RTECS #:KJ4000000 Fraction by Wt: 75%

OSHA PEL:1000PPM/1250STEL

ACGIH TLV:1000PPM/1250STEL9192

Ozo

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)
CAS:75-71-8 RTECS #:PA8200000
Fraction by Wt: 25%
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1
========== Hazards Identification ============
Effects of Overexposure:IRRIT THROAT, DROW, DERM. DISPLACED OXYGEN MAY RESULT IN DEATH BY SUFFOCATION IN ENCLOSED AREAS.
======================================
First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. GET MED ATTN. SKIN: TREAT FOR FROSTBITE IF NECESSARY. WASH SKIN WITH SOAP & WATER.
======================================
Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NONE
Fire Fighting Procedures: KEEP CONTAINERS COOL W/WATER
Unusual Fire/Explosion Hazard: AEROSOL CANS MAY BURST AT TEMP ABOVE 130F
======== A
ccidental Release Measures ==========
Spill Release Procedures: VENTILATE AREA, ESPECIALLY LOW AREAS WHERE HEAVY VAPORS MAY COLLECT.
=========== Handling and Storage =============
Handling and Storage Precautions:STORE CONTAINERS IN A COOL DRY AREA AWAY FROM HEAT OR OPEN FLAME. PROTECT CONTAINERS FM DAMAGE. Other Precautions:DO NOT USE AROUND OPEN FLAME OR RED-HOT SURFACES.
====== Exposure Controls/Personal Protection =======
Respiratory P

ne Depleting Chemical:1

rotection:NIOSH/MSHA APPROV RESP FOR ORGANIC VAPORS OR SCBA IN ENCLOSED AREAS. Ventilation: MECHANICAL REQUIRED, LOCAL AS REQUIRED FOR CLOSED AREAS. Protective Gloves:OPTIONAL Eye Protection: GOGGLES Other Protective Equipment: NONE Supplemental Safety and Health NSN CANCELLED REPLACED BY NSN 6850-00-105-3084. THIS MATL IS TYPE IIA I/A/W MIL-C-81302 W/1 MICRON-FILTER (REPLACEMENT NSN DOES NOT HAVE FILTER). ** V.P.=1151MM @ 70F ======= Physical/Chemical Properties ======= ======== HCC:V2 Boiling Pt:B.P. Text:N/R AEROSOL Vapor Pres:** Vapor Density:5.6 Spec Gravity: 1.57 Solubility in Water: NEGLIGIBLE Appearance and Odor:CLEAR, COLORLESS LIQUID (SPRAY) ETHER-LIKE ODOR Percent Volatiles by Volume:100 ======== Stability and Reactivity Data ========== Hazardous Decomposition Products: HCL, HF, SMALL AMT OF PHO ======= Disposal Considerations =============================

Stability Indicator/Materials to Avoid:YES ALKALI OR POWDERED ALUMINUM, ZINC, OR BERYLLIUM Stability Condition to Avoid: HIGH TEMP ABOVE 120F **SGENE**

Waste Disposal Methods: DO NOT INCINERATE FULL CANS. MATERIAL WILL READILY EVAPORATE. DISPOSE I/A/W ALL LOCAL, STATE, & FEDERAL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate

and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.