

ZOECON INDUSTRIES,MFG.(VENDOR:ELCO) -- RF-8 & RF-40 INSECT STRIPS(ZOECON STRIKE) --
6840-00-142-9438

===== Product Identification =====

Product ID:RF-8 & RF-40 INSECT STRIPS(ZOECON STRIKE)
MSDS Date:01/01/1985
FSC:6840
NIIN:00-142-9438
MSDS Number: BDBWC
=== Responsible Party ===
Company Name:ZOECON INDUSTRIES,MFG.(VENDOR:ELCO)
Address:975 CALIFORNIA AVE
City:PALO ALTO
State:CA
ZIP:94304-1104

Coun
try:US
CAGE:51065

=== Contractor Identification ===

Company Name:ZOECON CORP
Address:975 CALIFORNIA AVE
City:PALO ALTO
State:CA
ZIP:94304-1104
Country:US
CAGE:6P098
Company Name:ZOECON INDUSTRIES INC
Address:12200 DENTON DR
Box:City:DALLAS
State:TX
ZIP:75234-7239
Country:US
Phone:214-243-2321
CAGE:51065

===== Composition/Information on Ingredients =====

Ingred Name:DICHLORVOS (DDVP) (SARA III)
CAS:62-73-7
RTECS #:TC0350000
Fraction by Wt: 18.6%
OSHA PEL:S, 1 MG/M3
ACGIH TLV:

S, 0.1 MG/M3; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:POLYVINYL CHLORIDE:SEE SUPPL. DATA
RTECS #:KV0350000
Fraction by Wt: UNK
ACGIH TLV:UNK

Ingred Name:PLASTICIZERS(TYPE UNKNOWN)SEE SUPPL DATA
Fraction by Wt: UNK
ACGIH TLV:UNK

===== Hazards Identification =====

Effects of Overexposure:INHALATION: REMOVE TO FRESH AIR IF DIZZINESS IS APPARENT.

===== First Aid Measures =====

First Aid:SKIN CONTACT: WAS
H WITH SOAP & WATER - DO NOT USE ORGANIC
SOLVENTS

===== Fire Fighting Measures =====

Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:PACKAGING TO BE COLLECTED ALONG WIT MATERIAL &
PLACED IN A PLASTIC BAG

===== Handling and Storage =====

Handling and Storage Precautions:KEEP MATERIAL IN A COOL DRY PLACE,
AWAY FROM SOURCES OF EXTREME HEAT OR FLAME
Other Precautions:KEEP PACKAGING CLOSED TO PREVENT AIR EXCHANGE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS
Ventilation:MECHANICAL RECOMMENDED
Protective Gloves:LATEX RUBBER
Eye Protection:GOGGLES
Supplemental Safety and Health
SPEC:ACTIVE INGRED. COMBINED W/PVC Z6 SUITABLE PLASTICIZERS TO FORM
HOMOGENEOUS FIRM SLID MASS;LD50(ORAL RAT)=32MG/KG @ 100%; @ 18.6%,

LD50 = 172MG/KG

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:500F

Solubility in Water:INSOLUBLE

Appearance and Odor:SOLID, PLASTIC EXTRUDE WITH MOIST SURFACE APPEAR.

Percent Volatiles by Volume:46.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:BURY

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.