

STA-LUBE INC -- COMPRESSOR OIL #22133 -- 9150-00-147-9018

===== Product Identification =====

Product ID:COMPRESSOR OIL #22133

MSDS Date:07/21/1989

FSC:9150

NIIN:00-147-9018

MSDS Number: BDCLD

=== Responsible Party ===

Company Name:STA-LUBE INC

Address:3039 ANA STREET

City:COMPTON

State:CA

ZIP:90224

Country:US

Info Phone Num:213-537-5650

Emergency Phone Num:213-664-2121 (LA POISON CENTER)

Preparer

's Name:D.C.MARKIE

CAGE:33876

=== Contractor Identification ===

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

Company Name:STA-LUBE INC

Address:3039 ANA ST

Box:City:RANCHO DOMINGUEZ (PART OF COMPTON)

State:CA

ZIP:90221

Country:US

Phone:310-664-2121/800-424-9300(CHEMTREC)

CAGE:33876

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES, SOLVENT-REFINED L

IGHT NAPHTHENIC  
CAS:64741-97-5  
RTECS #:PY8041000  
OSHA PEL:300 PPM  
ACGIH TLV:300 PPM

Ingred Name:SOLVENT REFINED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM  
CAS:64741-96-4  
RTECS #:PY8040000

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')  
CAS:8012-95-1  
RTECS #:PY8030000  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:ZINC DIALKYL DITHIOPHOSPHATE (FROM PREVIOUS DATA;RENEW  
DATE 22SEP88)  
CAS:68457-79-4

=====  
===== Hazards Identification =====

Ro  
utes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF  
EYES,SKIN,RESPIRATORY OR G.I.TRACTS;CNS EFFECTS LIKE  
HEADACHE,DIZZINESS,NAUSEA,VOMITING AND POSSIBLE  
UNCONSCIOUSNESS;REDNESS OR BURNS OF EYES/SKIN  
POSSIBLE.CHRONIC:DRYING OF SKIN,DEFATTING OR DERMATITIS.  
Explanation of Carcinogenicity:DATA PER MSDS  
Effects of Overexposure:SEE HEALTH HAZARDS DATA.  
Medical Cond Aggravated  
by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR  
RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.  
GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER  
FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.  
SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH

SOAP AND WATER. IF

IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:390F,199C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER

SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE EQUIPMENT. REMOVE WITH ABSORBENT MATERIAL SUCH AS SAND,CLAY,ETC.REMOVE FROM WATER BY SKIMMING.KEEP OUT OF SEWERS.WASH WITH SAFETY SOLVENT AND/OR DETERGENT AND WATER.

Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT NEEDED;USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR

FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres:NEGLIGIBLE

Vapor Density:>1.0

Spec Gravity:0.85-0.95

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AN AMBER COLORED OILY LIQUID WITH A FAINT PETROLEUM ODOR

Percent Volatiles b

y Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR,PHOSPHORUS & NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES.DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this

information to their  
particular situation.