

TECHALLOY MARYLAND INC.,REID-AVERY DIV -- MIL 7018 -- 3439-00-165-4186

=====
Product Identification
=====

Product ID:MIL 7018

MSDS Date:11/01/1985

FSC:3439

NIIN:00-165-4186

MSDS Number: BDDTJ

=== Responsible Party ===

Company Name:TECHALLOY MARYLAND INC.,REID-AVERY DIV

Address:2310 CHESAPEAKE AVE

City:BALTIMORE

State:MD

ZIP:21222-4012

Emergency Phone Num:301-633-9300

CAGE:59711

=== Contractor Ide

ntification ===

Company Name:TECHALLOY COMPANY, INC.

Address:2310 CHESAPEAKE AVENUE

Box:City:BALTIMORE

State:MD

ZIP:21222

Country:US

Phone:410-633-9300; 800-638-1458

CAGE:59711

=====
Composition/Information on Ingredients
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Ingred Name:MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000

OSHA PEL:(C) 5 MG/M3 DUST

ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:SILICON

CAS:7440-21-3

RTECS #:VW0400000

OSHA PEL:15 MG/M3 TDUST

ACGIH

TLV:10 MG/M3 TDUST; 9293

Ingred Name:CHROMIUM (SARA III)

CAS:7440-47-3

RTECS #:GB4200000

OSHA PEL:1 MG/M3

ACGIH TLV:0.5 MG/M3; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:MOLYBDENUM

CAS:7439-98-7

RTECS #:QA4680000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3; 9293

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:CALCIUM FLUORIDE

CAS:7789-75-5

RTECS #:EW1760000

OSHA PEL:2.5 MG/M3 (F)

AC

GIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:POTASSIUM TITANATE

CAS:12030-97-6

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS FORMS) (SARA III)

CAS:1344-28-1

RTECS #:BD1200000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:FELDSPAR

CAS:68476-25-5

Ingred Name:SILICA, AMORPHOUS, DUST

CAS:112945-52-5

RTECS #:VV7310000

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3; 8990

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV

:10 MG/M3 TDUST; 9293

Ingred Name:POTASSIUM SILICATE
CAS:1312-76-1

Ingred Name:SODIUM SILICATE
CAS:6834-92-0
RTECS #:VV9275000
ACGIH TLV:5 MG/CUM

Ingred Name:ALUMINUM SODIUM FLUORIDE (SODIUM FLUOALUMINATE OR CRYOLITE)
CAS:15096-52-3
RTECS #:WA9625000
OSHA PEL:2.5 MG/M3 (F)
ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:MAGNESITE
CAS:546-93-0
RTECS #:OM2470000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:POTASSIUM HYDROXIDE (SARA III)
CAS:1310-58-3
RTECS #:TT2100000
OSHA PE
L:C, 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE:MAY RESULT IN DISCOMFORT SUCH AS
DIZZINESS,NAUSEA,DRYNESS OR IRRITATION OF NOSE,THROAT OR
EYES,TIGHTNESS IN CHEST,FEVER & ALLERGIC REACTIONS. CHRONIC:MAY
LEAD TO SIDEROSIS & IS BELIEVED
BY SOME INVESTIGATORS TO AFFECT
PULMONARY FUNCTION.
Explanation of Carcinogenicity:CHROMIUM (CR+6) IS LISTED AS
CARCINOGENIC.
Effects of Overexposure:SEE "HEALTH HAZARDS".

=====
===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR,IF BREATHING IS DIFFICULT,ADMINISTER
OXYGEN,IF BREATHING HAS STOPPED,APPLY ARTIFICIAL RESPIRATOR; GET
MEDICAL HELP.

=====
===== Fire Fighting Measures =====

Extinguishing Media:NO

NE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:WELDING ARC AND SPARKS CAN IGNITE
COMBUSTIBLES AND FLAMMABLES.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP OR SCOOP UP.

===== Handling and Storage =====

Handling and Storage Precautions:USE EXHAUST SYSTEM TO CLEAR WELDING
FUMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE RESPIR
ABLE FUME RESPIRATORY OR AIR SUPPLIED
RESPIRATOR WHEN WELDING IN A CONFINED SPACE OR WHERE LOCAL EXHAUST
OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV.

Ventilation:USE ADEQUATE GENERAL VENTILATION & LOCAL EXHAUST AT THE
ARC.

Protective Gloves:WELDER'S GLOVES

Eye Protection:HELMET/FACE SHEILD WITH FILTER LENS.

Other Protective Equipment:WEAR PROTECTIVE CLOTHING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:SOLID WIRE OR ROD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:DIFFICULT TO DETERMINE.VARIES GREATLY.

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD ANY PRODUCT RESIDUE,DISPOSABLE CONTAINER
OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER.

Disclaimer (provided with this information by the com

piling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.