View NSN Online: https://aerobasegroup.de/nsn/8010-00-165-4761 CARROLL LTD., INC -- SHELLAC CUTTER -- 8010-00-165-4761 ============ Product Identification ========================= Product ID:SHELLAC CUTTER MSDS Date:01/01/1987 FSC:8010 NIIN:00-165-4761 MSDS Number: BDDVB === Responsible Party === Company Name: CARROLL LTD., INC Emergency Phone Num:213-739-0455 CAGE:KO388 === Contractor Identification === Company Name: CARROLL LTD., INC CAGE:KO388 Company Name: MILITARY SPECIFICATIONS PROMUL **GATED BY MILITARY** Address: DEPTS/AGENCIES UNDER AUTH OF DEF STD **Box:MANUAL** City:4120 3-M Phone:804-279-4371 DSN 695-4371 CAGE:81349 ====== Composition/Information on Ingredients ======== Ingred Name:OL Fraction by Wt: 65% ACGIH TLV:100 PPM ========== Hazards Identification ================ Effects of Overexposure:IRRITATION OF EYES,NOSE,AND THROAT.HEADACHE,INTOXICATION,AND DROWSINESS MAY OCCUR ===== First Aid:IN CASE OF CONTACT, FLUSH THOROUGHLY WITH WATER. FOR INHALATION, REMOVE TO FRESH AIR AND ADMINISTER OXYGEN ============= Fire Fighting Measures ======================== Flash Point:50F,10C Lower Limits:4.3 Upper Limits:19.0 Extinguishing Media: CARBON DIOXIDE OR DRY CHEMICAL EXTINGUISHER Fire Fighting Procedures: DO NOT USE STRAIGHT WATER HOSE STREAM. Unusual Fire/Explosion Hazard: KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.ALL ELECTRICAL EQUIPMENT MUST BE EXPLOSION P

========== Accidental Release Measures ==========
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.AVOID BREATHING VAPORS OR CONTACT WITH EYES.CONTAIN SPILL IN A DIKED AREA TO MINIMIZE VAPORS.
============= Handling and Storage ===============
Handling and Storage Precautions:STORE BELOW 100F.IF NECESSARY TO TRANSFER CONTENTS TO ANOTHER CONTAINER,GLASS,PLASTIC,SPECIAL-LINED STEEL,OR TIN ARE ACCEPTABLE. Other Precautions:NO SMOKIN G.REMOVE IGNITION SOURCES
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR Ventilation:LOCAL EXHAUST FROM FLOOR.ALL EQUIPMENT EXPLOSION PROOF. Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:F2 Boiling Pt:B.P. Text:176F,80C Vapor Pres:44 Vapor Density:1.6 Spec Gravity:0.903 Evaporation Rate & amp; Reference:1.7 Solubility in Water:MODERATE Appearance and Odor:MILKY,VISCOUS LIQUID Percent Volatiles by Volume:69
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS Hazardous Decomposition Products:CARBON MONOXIDE
======= Disposal Considerations ==========
Waste Disposal Methods:REFER TO RESOURCE CONSERVATION AND RECOVERY ACT,PL584-2024.DIRECT ASSISTANCE AVAILABLE FROM SOLID WASTE MAN

ROOF

AGEMENT DIVISION, USAEHA, AV 584-2024

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.