

CARROLL LTD.,INC -- SHELLAC CUTTER -- 8010-00-165-4761

=====  
Product Identification  
=====

Product ID:SHELLAC CUTTER

MSDS Date:01/01/1987

FSC:8010

NIIN:00-165-4761

MSDS Number: BDDVB

=== Responsible Party ===

Company Name:CARROLL LTD.,INC

Emergency Phone Num:213-739-0455

CAGE:KO388

=== Contractor Identification ===

Company Name:CARROLL LTD.,INC

CAGE:KO388

Company Name:MILITARY SPECIFICATIONS PROMUL

GATED BY MILITARY

Address:DEPTS/AGENCIES UNDER AUTH OF DEF STD

Box:MANUAL

City:4120 3-M

Phone:804-279-4371 DSN 695-4371

CAGE:81349

=====  
Composition/Information on Ingredients  
=====

Ingred Name:OL

Fraction by Wt: 65%

ACGIH TLV:100 PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:IRRITATION OF EYES,NOSE,AND  
THROAT.HEADACHE,INTOXICATION,AND DROWSINESS MAY OCCUR

=====  
First Aid Measures  
=====

=====

First Aid:IN CASE OF CONTACT,FLUSH THOROUGHLY WITH WATER.FOR  
INHALATION,REMOVE TO FRESH AIR AND ADMINISTER OXYGEN

=====  
Fire Fighting Measures  
=====

Flash Point:50F,10C

Lower Limits:4.3

Upper Limits:19.0

Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL EXTINGUISHER

Fire Fighting Procedures:DO NOT USE STRAIGHT WATER HOSE STREAM.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT,SPARKS, AND OPEN  
FLAME.ALL ELECTRICAL EQUIPMENT MUST BE EXPLOSION P

# ROOF

## ===== Accidental Release Measures =====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS OR CONTACT WITH EYES. CONTAIN SPILL IN A DIKED AREA TO MINIMIZE VAPORS.

## ===== Handling and Storage =====

Handling and Storage Precautions: STORE BELOW 100F. IF NECESSARY TO TRANSFER CONTENTS TO ANOTHER CONTAINER, GLASS, PLASTIC, SPECIAL-LINED STEEL, OR TIN ARE ACCEPTABLE.

Other Precautions: NO SMOKING  
G. REMOVE IGNITION SOURCES

## ===== Exposure Controls/Personal Protection =====

Respiratory Protection: NIOSH APPROVED ORGANIC VAPOR RESPIRATOR  
Ventilation: LOCAL EXHAUST FROM FLOOR. ALL EQUIPMENT EXPLOSION PROOF.  
Protective Gloves: RUBBER  
Eye Protection: SAFETY GOGGLES  
Supplemental Safety and Health

## ===== Physical/Chemical Properties =====

HCC: F2  
Boiling Pt: B.P. Text: 176F, 80C  
Vapor Pres: 44  
Vapor Density: 1.6  
Spec Gravity: 0.903  
Evaporation Rate & Reference: 1.7  
Solubility in Water: MODERATE  
Appearance and Odor: MILKY, VISCOUS LIQUID  
Percent Volatiles by Volume: 69

## ===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
OXIDIZING MATERIALS  
Hazardous Decomposition Products: CARBON MONOXIDE

## ===== Disposal Considerations =====

Waste Disposal Methods: REFER TO RESOURCE CONSERVATION AND RECOVERY ACT, PL584-2024. DIRECT ASSISTANCE AVAILABLE FROM SOLID WASTE MAN

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.