View NSN Online: https://aerobasegroup.de/nsn/6750-00-165-7133

FUJI MEDICAL SYSTEMS INC FUJI NDT SYSTEMS DIV -- AUDEL DEVELOPER CONC,PART A -- 6750-00-165-7133

Product ID:AUDEL DEVELOPER CONC,PART A MSDS Date:02/18/1987 FSC:6750 NIIN:00-165-7133 Kit Part:Y MSDS Number: BDDWQ === Responsible Party === Company Name: FUJI MEDICAL SYSTEMS INC FUJI NDT SYSTEMS DIV Address:90 VIADUCT RD City:STAMFORD State:CT ZIP:06907 Country:US L nfo Phone Num:203-353-0300 Emergency Phone Num:203-353-0300 CAGE:0CSD2 === Contractor Identification === Company Name: FUJI MEDICAL SYSTEMS INC FUJI NDT SYSTEMS DIV Address:90 VIADUCT RD City:STAMFORD State:CT ZIP:06907 Country:US Phone:203-353-0300 CAGE:0CSD2 Ingred Name: HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 4-8%

OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingr

ed Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 10-30% ACGIH TLV:UNK

Ingred Name:SODIUM TETRABORATE, DECAHYDRATE CAS:1303-96-4 RTECS #:VZ2275000 Fraction by Wt: 1-4% OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3; 9192

Ingred Name:POTASSIUM HYDROXIDE (SARA III) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 2-6% OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM BROMIDE CAS:7647-15-6 RTECS #:VZ3150000 Fraction by Wt: 1-3% A CGIH TLV:UNK

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SEE OVEREXPOSURE. Effects of Overexposure:BURNING OF EYES & MUCOUS MEMBRANES;DEVELOPMENT OF SKIN IRRITATION OR DERMATITIS. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid: EYES-FLUSH W/WATER

15 MIN;GET MED ATTN. SKIN-FLUSH WELL W/WATER;IF IRRIT DEVELOPS,GET MED ATTN. INGEST-GET IMMED MED ADVICE GIVING DETAILS ON QTY SWALLOWED & TOXICITY.

Extinguishing Media: AS APPROPRIATE TO EXTINGUISH SOURCE OF FIRE. Fire Fighting Procedures: NONE. Unusual Fire/Explosion Hazard: NONE.

Spill Release Procedures: WEAR PROTECT CLOTH. IF FED, STATE OR LOCAL REG S

PERMIT,NEUTRALIZE W/SODIUM BISULFATE & FLUSH TO SEWER W/LGE AMTS WATER. OTHERWISE,ADD DRY ABSORBENT,CLEAN UP & PLACE IN APPROVED DOT CONTNR,LABEL,& SEAL FOR DISPOSAL. Neutralizing Agent:SODIUM BISULFATE.

Handling and Storage Precautions: KEEP TIGHTLY SEALED. DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO IN AREA WHERE THEY COULD BE CONTAMINATED W/MATL. STORE ABOVE 40F/4C.
Other Precautions: AVOID UNNECESSAR
Y PERSONAL CONTACT. AVOID INCOMPATIBLE SUBSTANCES. WASH THOROUGHLY AFTER HANDLING. ROUTINE USE OF NON-ALKALINE HAND CLEANER WILL MINIMIZE POSSIBLITY OF ALLERGIC SKIN REACTION.

Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTILATION. Protective Gloves:IMPERVIOUS. Eye Protection:SAFETY GLASSES/GOGGLES. Other Protective Equipment:AS NECESSARY TO PREVENT SKIN OR EYE CONTACT. Supplemental Safe ty and Health KEY1:B3. THIS IS PART A OF A 3-PART KIT. SEE PNI B & C .

HCC:F6 Boiling Pt:>100.C, 212.F Vapor Pres:17 Vapor Density:0.6 Spec Gravity:1.29 pH:11.2 Solubility in Water:COMPLETE Appearance and Odor:SLIGHTLY YELLOWISH ODORLESS LIQUID. Percent Volatiles by Volume:80 Corrosion Rate:NONE

Stability Indicator/Materials to Avoid:YES MINERAL ACIDS. Stab ility Condition to Avoid:NONE KNOWN. Hazardous Decomposition Products:SULFUR DIOXIDE.

Waste Disposal Methods:CONSULT PROPER FED,STATE & LOCAL REGULATORY AGENCIES FOR PROPER PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrant s this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.