

DAVLIN PAINT CO. -- WHITE INDOOR PRIMER, SEALER BTTS179 -- 8010-00-165-8470

=====  
Product Identification  
=====

Product ID:WHITE INDOOR PRIMER, SEALER BTTS179

MSDS Date:04/26/1988

FSC:8010

NIIN:00-165-8470

MSDS Number: BDDXW

=== Responsible Party ===

Company Name:DAVLIN PAINT CO.

Address:700 ALLSTON WAY

Box:2308

City:BERKELEY

State:CA

ZIP:94702

Country:US

Preparer's Name:PATRICIA SHAW

CAGE:DO185

==

= Contractor Identification ===

Company Name:DAVLIN PAINT CO INC

Address:700 ALLSTON WAY

Box:2308

City:BERKELEY

State:CA

ZIP:94702

Country:US

Phone:510-848-2863

CAGE:3Z268

Company Name:DAVLIN PAINT CO.

Address:P.O. BOX 2308

Box:2308

City:BERKELEY

State:CA

ZIP:94702

Phone:415-889-7098

CAGE:DO185

=====  
Composition/Information on Ingredients  
=====

Ingred Name:VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000

Fraction by Wt: 30%

Other REC Limits:125 PPM

OSHA PEL:300 PPM/400

STEL  
ACGIH TLV:300 PPM; 9192

Ingred Name:TALC (CONTAINING NO ASBESTOS)  
CAS:14807-96-6  
RTECS #:WW2710000  
Fraction by Wt: 10%  
Other REC Limits:DUST  
OSHA PEL:2 MG/M3 RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9192

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MANY PETROLEUM HYDROCARBONS AND  
SYNTHETIC LUBRICANTS POSE POTENTIAL HUMAN HEALTH  
RISKS. AS A

PRECAUTION, EXPOSURE TO LIQUIDS, VAPORS, MISTS OR FUMES SHOULD BE  
MINIMIZED. CHRONIC EXPOSURE MAY CAUSE DAMAGE TO CENTRAL NERVOUS  
SYSTEM, RESPIRATORY SYSTEM, LUNGS, EYES, SKIN, GASTROINTESTINAL  
TRACT, LIVER, SPLEEN & KIDNEYS.

Explanation of Carcinogenicity:CHEMICALS MAY CAUSE CANCER, BIRTH  
DEFECTS OR OTHER REPRODUCTIVE HARM.

Effects of Overexposure:INHAL-VAPORS CAN CAUSE NASAL & RESPIRATORY  
IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA & HEADACHE.  
SKIN

-CAN CAUSE MODERATE IRRITATION, DEFATTING & DERMATITIS.  
EYE-SEVERE IRRITATION, TEARING, REDNESS & BLURRED VISION.  
INGEST-CAN CAUSE IRRITATION OF THE DIGESTIVE TRACT AND SIGNS OF  
CENTRAL NERVOUS SYSTEM DEPRESSION. \*

Medical Cond Aggravated by Exposure:RESPIRATORY TRACT IRRITATION,  
DERMATITIS, NAUSEA. \*CAN ENTER LUNGS DURING SWALLOWING OR VOMITING  
AND CAUSE LUNG INFLAMMATION.

=====  
===== First Aid Measures =====

First Aid:EYES-FLUSH W/WATER FOR 1  
5 MINUTES. SKIN-REMOVE CONTAMINATED  
CLOTHING, WASH THOROUGHLY W/SOAP AND WATER. INHAL-REMOVE VICTIM TO  
FRESH AIR. APPLY ARTIFICIAL RESPIRATION OR ADMINISTER OXYGEN IF  
NEEDED. INGEST-GIVE WATER OR MILK TO DRINK & PHONE FOR MEDICAL  
ATTENTION. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL  
PERSONNEL. IF MEDICAL ADVICE NOT AVAILABLE TAKE PERSON TO NEAREST  
EMERGENCY HOSPITAL.

=====  
===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flas

h Point:105F/41C

Lower Limits:1.0%

Upper Limits:6.1%

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:USE EXTINGUISHERS DESIGNED TO EXTINGUISH NFPA  
FLAMMABLE LIQUID FIRE. APPROVED GAS MASK REQUIRED FOR FIRE FIGHTING  
PERSONNEL. WATER MAY BE INEFFECTIVE.

Unusual Fire/Explosion Hazard:VAPORS FORM AN EXPLOSIVE MIXTURE WITH AIR  
BETWEEN LOWER AND UPPER EXPLOSIVE LIMITS WHICH CAN BE IGNITED.  
CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EX/HEAT.

=====

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL NON-ESSENTIAL PERSONNEL. REMOVE  
ALL IGNITION SOURCES. VENTILATE AREA. EQUIP EMPLOYEES WITH  
APPROPRIATE EQUIPMENT. DIKE AROUND SPILLED AREA. COVER SPILL WITH  
INERT ABSORBANT AND TRANSFER USING NON-SPARKING TOOLS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 80 DEG F IN CLOSED  
CONTAINER. STORE IN ORIGINAL CONTAIN  
ER. AVOID FLAME AND HIGH

TEMPERATURE. DO NOT STORE NEAR OXIDIZING AGENTS OR ACIDS.

Other Precautions:DO NOT TAKE INTERNALLY, AVOID PROLONGED INHALATION.  
GROUND ALL CONNECTIONS, CONTAINERS, ETC, WHEN POURING OR  
TRANSFERRING TO MINIMIZE STATIC ELECTRICITY. USE NON-SPARKING  
TOOLS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING THIS MATERIAL USE A NIOSH APPROVED  
CARTRIDGE RESPIRATOR OR GAS MASK TO KEEP AIRBORNE MISTS AND  
VAPOR  
CONCENTRATIONS BELOW TLV. IN POORLY VENTILATED AND CONFINED SPACES,  
USE A FRESH-AIR SUPPLY OR SELF CONTAINED BREATH/APPARATUS

Ventilation:GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE  
ADEQUATE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. \*

Protective Gloves:IMPERVIOUS TO PREVENT SKIN CONTACT.

Eye Protection:CHEMICAL SAFETY GLASSES OR GOGGLES

Other Protective Equipment:USE IMPERMEABLE APRONS AND PROTECTIVE  
CLOTHING TO PREVENT EXPOSURE TO SKIN. HEADCAPS ARE RECOMMEND

ED.

Work Hygienic Practices:AFTER USING, WASH BEFORE EATING, TOILETING OR SMOKING.

Supplemental Safety and Health

\* VENTILATION EQUIPMENT MUST BE EXPLOSION PROOF.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:306F

Vapor Density:>AIR

Spec Gravity:1.3

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:NOT WATER/SOLUBLE

Appearance and Odor:PIGMENTED LIQUID. MILD SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:DO NOT EXPOSE TO HEAT OR IGNITION SOURCES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE AND/OR MONOXIDE, LOW MOLEULAR WEIGHT HYDROCARBONS AND ORGANIC ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods:KEPT OUT DRAINS, SEWERS AND WATERWAYS. DISPOSE IN ACCORDANCE WITH LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.