View NSN Online: https://aerobasegroup.de/nsn/6850-00-167-1676

Product ID:FORMED MOLECULAR SIEVE;GRADE #542 MSDS Date:01/01/1990 FSC:6850 NIIN:00-167-1676 MSDS Number: BDFDP === Responsible Party === Company Name:W R GRACE & CO. DAVISON CHEMICAL DIVISION Address:10 E BALTIMORE STREET Box:2117 City:BALTIMORE State:MD ZIP:21202-1 630 Country:US Info Phone Num:301-659-9000;301-659-9058 Emergency Phone Num:301-659-9000;301-874-2009 CAGE:16210 === Contractor Identification === Company Name: W R GRACE & CO. DAVISON CHEMICAL DIVISION Address:10 E BALTIMORE STREET Box:2117 City:BALTIMORE State:MD ZIP:21202-1630 Country:US Phone:410-659-9000 CAGE:16210

Ingred Name:SODIUM ALUMINOSILICATE CAS:1344-00-9 Other REC Limits:NONE SPECIFIED

Ingred Name:CALCIUM SODIUM

ALUMINOSILICATE CAS:1344-01-0 Other REC Limits:NONE SPECIFIED

Ingred Name:POTASSIUM SODIUM ALUMINOSILICATE CAS:12736-96-8 Other REC Limits:NONE SPECIFIED

Ingred Name:KAOLIN CAS:1332-58-7 RTECS #:GF1670500 Other REC Limits:NONE SPECIFIED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:MOLECULAR SIEVE Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:ORAL RAT LD50 >31,600 MG/KG (48 HRS) Routes of Entry: In halation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:IRRITATNG TO EYES;PROLONGED CONTCT CAUSES SKIN IRRITATION;INHALATION OF DUST MAY IRRIT MUCOUS MEMBRN

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION

IMMEDIATELY.

Flash Point:NONE
Extinguishing Media:CO\*2, FOAM, DRY CHEM.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.
Unusual Fire/Explosion Hazard:NONE NOTED.

Spill Release Procedures: USE PROPER PERSONAL PROTECTION;

## SWEEP UP OR VACUUM AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. AVOID HEATING OVER 1000F.

Other Precautions:MOLECULAR SIEVES CAN BUILD UP A STATIC ELECTRIC CHARGE WHEN POURING.PROPER GROUNDING SHOULD BE OBSERVED WHEN POURING FROM A BAG OR DRUM IN THE PRESENCE OF FLAMMABLE VAPORS.

======= Exposure Controls/Personal Protection =

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST IF ABOVE PEL/TLV. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:AS REQUIRED Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH FACILITIES,SAFETY SHOWER. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE. Supplemental Safety and Health

AVOID DUST INHALATION.

\_\_\_\_\_

HCC:N1 Spec Gravity:2.1 pH:10.4 Solubility in Water:INSOLUBLE Appearance and Odor:WHITE,GRAY,OR TAN,BEADS.

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY GIVE OXIDES OF ALUMINUM/SODIUM

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSA

## L MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibilit y for the suitability of this information to their

y for the suitability of this information to the particular situation.