Product ID:SYLGARD PRIME COAT MSDS Date:10/30/1990 FSC:8030 NIIN:00-181-7541 MSDS Number: BDGKF === Responsible Party === Company Name: DOW CORNING CORP. Address:SOUTH SAGINAW ROAD City:MIDLAND State:MI ZIP:48640 Country:US Info Phone Num:517-496-6000 Emergency Phone Num:517-496-5900 Preparer's Name: JACK L. SHENEBERGER CAGE:5D028 === Contractor Identification === Company Name: DOW CORNING CORP Address:3901 S SAGINAW RD Box:997 City:MIDLAND State:MI ZIP:48686-0997 Country:US Phone:517-496-6000/517-496-6315 CAGE:5D028 Company Name: DOW CORNING CORP Address:2200 W SALZBURG RD Box:City:AUBURN State:MI ZIP:48611 Country:US Phone:517-496-4388 CAGE:71984

Ingred Name:HEPTANE; (N-HEPTANE) CAS:142-82-5 RTECS #:MI7700000 Fraction by Wt: 95.0% OSHA PEL:500 PPM;500 STEL ACGIH TLV:400 PPM;500 STEL

Ingred Name:ALLYLTRIMETHOXYSILANE CAS:2551-83-9 Fraction by Wt: 5.0% Other REC Limits:200PPM,250 STEL(MFR) OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:TITANIC ACID, TETRABUTYL ESTER; (TETRABUTYL TITANATE) CAS:5593-70-4 RTECS #:XR1585000 Fraction by Wt: 1% OSHA PEL:50 PPM, C, S (MFR) ACGIH TLV:50 PPM, C, S (MFR)

Ingred Name:OTHER PREC:200 PPM OR USE NIOSH/MSHA APPROVED AIR SUPPLIED OR SELF-CONTAINED BREATHING APPARATUS. RTECS #:999999 9ZZ

Ingred Name:HYGIENE PRACT:SMOKING. WASHING AT MEALTIME & END OF SHIFT IS ADEQUATE. IF SPLASH OCCURS, CHANGE CONTAM CLTHG AS (ING 6) RTECS #:9999999ZZ

Ingred Name:ING 5:SOON AS POSS & THORO FLUSH AFFECTED AREAS W/COOL WATER. RTECS #:9999999ZZ

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazard

s Acute and Chronic:EYE:DIRECT CONT IRRITS. MAY BE SERIOUS W/REDNESS, SWELL & SOME CORNEAL INJURY LASTING SEVERAL DAYS TO A WEEK. SKIN:SINGLE RELATIVELY SHORT EXPOS (