View NSN Online: https://aerobasegroup.com/nsn/8010-00-181-7568

ELDORADO CHEMICAL CO INC -- PR-3500 PAINT STRIPPER -- 8010-00-181-7568

Product ID:PR-3500 PAINT STRIPPER

MSDS Date:07/27/1988

FSC:8010

NIIN:00-181-7568

MSDS Number: BDGKY === Responsible Party ===

Company Name: ELDORADO CHEMICAL CO INC

Address:14350 LOOKOUT RD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837 Country:US

Info Phone Num:210-653-9323/210-653-2060

mergency Phone Num:800-255-3924/210-653-2060

Preparer's Name: PAT E SMITH

CAGE:55208

=== Contractor Identification ===

Company Name: ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837 Country:US

Phone:800-531-1088/210-653-2060

CAGE:55208

======= Composition/Information on Ingredients ========

Ingred Name: DICHLOROMETHANE (METHYLENE CHLORIDE) (SUSP HUMAN CARC BY ACGIH, SUSP ANIM CARC BY IARC GROUP 2B, SUSP CARC BY NTP)*97

-2*

CAS:75-09-2

RTECS #:PA8050000 Fraction by Wt: 50% **OSHA PEL:500 PPM**

ACGIH TLV:174 MG/CUM (A2)

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL, HYDROXYBENZENE (IARC - GROUP 3) *97-2*

CAS:108-95-2

RTECS #:SJ3325000 Fraction by Wt: 17%

Other REC Limits: 5 MG/CUM **OSHA PEL:19 MG/CUM**

ACGIH TLV:19 MG/CUM (SKIN)

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: SODIUM CHROMATE (HUMAN CARCINOGEN BY IARC - GROUP 1;

CARCINOGEN BY NTP) *97-2*

ction by Wt: 0.8% OSHA PEL:0.1 MG/CUM ACGIH TLV:0.05 MG/CUM EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS ========== Hazards Identification =============== LD50 LC50 Mixture:MFR PROVIDES NO INFORMATION Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic: INHALATION: MAY BE ABSORBED IN THE LUNGS. REDUCES OXYGEN IN THE BLOOD. SKIN: CORROSIVE: DERMATITIS MAY OCCUR. EYES: CORROSIVE, MAY CAUSE BURNS. Explanation of Carcinogenicity: SEE INGREDIENTS. Effects of Overexposure: NARCOSIS, DIZZINESS, NAUSEA, PAIN Medical Cond Aggravated by Exposure: NONE First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: FLUSH W/WATER FOR 15 MINS. WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES. =========== Fire Fighting Measures ================ Flash Point:NONE Lowe r Limits:NONE **Upper Limits:NONE** Extinguishing Media: NONE Fire Fighting Procedures: USE ACTIVATED CHARCOAL AIR FILTERS REQUIRED. Unusual Fire/Explosion Hazard: TOXIC CHLORIDE FUMES MAY BE GENERATED BY CONTACT W/FLAME. ========= Accidental Release Measures ==============

Respiratory Protection:DON'T USE IN CONFINED SPACE.

Protective Gloves: POLYETHYLENE.

Eye Protection:F

HCC:T4

Boiling Pt:B.P. Text:120F

Vapor Pres:38 Vapor Density:2.9 Spec Gravity:1.15

particular situation.

pH:9.2

Evaporation Rate & Evaporation R

Solubility in Water: PARTIALLY SOLUBLE

Appearance and Odor:THICK YELLOW LIQUID W/ A PHENOL ODOR.

Percent Volatiles by Volume:70

======== Stability and Reactivity Data ==========

Sta

bility Indicator/Materials to Avoid:YES Hazardous Decomposition Products:NONE

======= Disposal Considerations ===========

Waste Disposal Methods:USE EPA HAZ WASTE NO'S: U080, U188, & D007. SEPARATE INSOLUBLE IN GREASETRAP, TREAT WATER FOR PHENOLS & CHROMATES. DISCHARGE TO DOMESTIC SEWER. DISPOSE OF IAW/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elemen ts of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their