

GENERAL ELECTRIC CO., SILICONE PRODUCTS DEPT. -- RTV-157 ADHESIVE SEALANT (HIGH STRENGTH) -- 8040-00-181-8380

=====
Product Identification
=====

Product ID:RTV-157 ADHESIVE SEALANT (HIGH STRENGTH)

MSDS Date:01/01/1985

FSC:8040

NIIN:00-181-8380

MSDS Number: BDGWK

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCTS DEPT.

Emergency Phone Num:(518) 237-3330

CAGE:OD426

=== C

Contractor Identification ===

Company Name:GENERAL ELECTRIC COMPANY

Address:SILICONE PRODUCTS DIVISION

City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330

CAGE:OD426

Company Name:MATERIALS INFORMATION SERVICES GENERAL ELECTRIC CO

Address:1285 BOSTON AVE BLDG 29EE

Box:City:BRIDGEPORT

State:CT

ZIP:06602

Country:US

CAGE:09172

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000

OSHA PEL:10 PPM

ACGIH TLV:1

0 PPM/15 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:EYE, NOSE, & RESPIRATORY IRRITATION. SKIN IRRITATION FROM UNCURED RTV-156 MAY OCCUR.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH 15 MIN. WITH WATER, CONSULT PHYSICIAN. SKIN: WIPE OFF THEN WASH WITH SOAP & WATER. USE ADEQUATE VENTILATION.

=====
Fire Fighting Measures =
=====

Extinguishing Media:ALL STANDARD FIRE FIGHTING AGENTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:NO SPECIAL PRECAUTIONS ARE NECESSARY. WIPE OR SCRAPE UP & DISPOSE OF IN WASTE RECEPTACLE.

=====
Handling and Storage
=====

Handling and Storage Precautions:ACETIC ACID VAPOR LIBERATED DURING APPLICATION & CURING. ADEQUATE VENTILATION REQUIRED TO MAINTAIN BELOW TLV.

Other Precautions:CURED RTV-157 REQUIRES NO SPECIAL PRECAUTIONS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED UNLESS NORMAL VENTILATION IS INADEQUATE.

Ventilation:SUFFICIENT TO REMOVE ACETIC ACID VAPORS

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

MFG INDICATES PRODUCT CONTAINS NO HAZARDOUS INGREDIENT. 3-5% VOLATILE BY VOLUME.

=====
Physical/Chemical Properties
=====

HCC:N1

Spec Gravity:1.10

Sol

ubility in Water:NEGLIGIBLE

Appearance and Odor:GREY PASTE; ODOR OF ACETIC ACID IS PRESENT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:SIO*2 & CO*2

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN LANDFILL OR BY INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use b

y elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.