

3M COMPANY-ELECTRICAL PRODUCTS DIV -- SCOTCHCAST 10 ELECTRICAL RESIN(5241),PART B
-- 5970-00-186-6529

===== Product Identification =====

Product ID:SCOTCHCAST 10 ELECTRICAL RESIN(5241),PART B

MSDS Date:10/19/1985

FSC:5970

NIIN:00-186-6529

Kit Part:Y

MSDS Number: BDGZR

=== Responsible Party ===

Company Name:3M COMPANY-ELECTRICAL PRODUCTS DIV

Address:3M CENTER

City:ST PAUL

State:MN

ZIP:55144-1000

Co

Country:US

Emergency Phone Num:612-733-1110

CAGE:75037

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV

Address:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:78769-2963

Country:US

Phone:512-984-1800

CAGE:75037

===== Composition/Information on Ingredients =====

Ingred Name:NONYLPHENOL (WT% RANGE 1-2%)

CAS:25154-52-3

RTECS #:SM5600000

Fraction by Wt: 1.5%

Other REC Limits:NONE

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1

225000
Fraction by Wt: 1.5%
OSHA PEL:1 PPM
ACGIH TLV:S, 1 PPM; 9192

Ingred Name:TALC (CONTAINING NO ASBESTOS)
CAS:14807-96-6
RTECS #:WW2710000
Fraction by Wt: 48.5%
OSHA PEL:2 MG/M3 RDUST
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:AROMATIC HYDROCARBON RESIN (WT% RANGE=5-10%)
Fraction by Wt: 7%.
Other REC Limits:NONE

Ingred Name:ORGANOPHILLIC ADDITIVE (WT% RANGE=4-5%)
Fraction by Wt: 4.5%
Other REC Limits:NONE

Ingred Name:FATTY ACID AMIDE (WT% RANGE=35-40%)
Fraction by Wt: 37%.
Other REC Limits:
s:NONE

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITANT, MAY BE HARMFUL IF ABSORBED
THROUGH SKIN.
Effects of Overexposure:EYE: IRRITANT. SKIN: IRRITANT, POSSIBLE
SENSITIZATION. INHALE: IRRITANT, POSSIBLE SENSITIZATION. INGEST:
IRRITANT, POSSIBLE TISSUE, DIGESTIVE SYSTEM DAMAGE.
Medical Cond Aggravated by Exposure
:ANY PRE-EXISTING ALLERGY OR
SENSITIVITY.

=====
===== First Aid Measures =====
=====

First Aid:EYE: FLUSH 10-15 MINUTES WITH AMPLE WATER. SKIN: WASH SOAP &
WATER. INHALE: REMOVE TO FRESH AIR. INGEST: GIVE TWO GLASSES WATER
IF CONSCIOUS. CALL PHYSICIAN ALL CASES IF SYMPTOMS PERSIST.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:CC
Flash Point:>450F/>232C
Extinguishing Media:CO*2, FOAM, DRY CHEMICAL
Fire Fighting P

rocedures:USE SCBA RESPIRATOR PP MODE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:OBSERVE ALL PRECAUTIONS LISTED. COLLECT SPILL WITH ABSORBENT, PLACE IN CLOSABLE CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:USE IN WELL VENTILATED AREA FOR MIXING, CURING, POURING. VENTILATE COOL-DOWN AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE CCROV RESPIRATOR IF VENTILATION INSUFFICIENT.

Ventilation:LOCAL EXHAUST PREFERRED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:APRON, SLEEVES OF IMPERVIOUS MATERIAL

Work Hygienic Practices:AVOID EYE, SKIN CONTACT. DO NOT INHALE OR INGEST.

Supplemental Safety and Health

UPDATE PER 3M MSDS DOC #10-2581-6 DATED 19OCT85. 3M ID NUMBER IS NOT GIVEN. PART B OF TWO-PART A/B KIT.

===== P
hysical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NA

Spec Gravity:1.44

Solubility in Water:NEG

Appearance and Odor:BROWN VISCOUS LIQUID, AMINE ODOR

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON & NITROGEN OXIDES

===== Disposal Considerations =====

Waste Disposal Met

hods:LANDFILL ABSORBENT MATERIAL OR INCINERATE IAW
ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibi
lity for the suitability of this information to their
particular situation.