

BORNE CHEMICAL COMPANY, INC. -- CENTURA PREMIUM MOTOR OILS UNIVERSAL 10 --
9150-00-186-6668

=====
Product Identification
=====

Product ID:CENTURA PREMIUM MOTOR OILS UNIVERSAL 10

MSDS Date:01/01/1987

FSC:9150

NIIN:00-186-6668

MSDS Number: BDGZX

=== Responsible Party ===

Company Name:BORNE CHEMICAL COMPANY, INC.

Emergency Phone Num:201-351-1717

CAGE:17425

=== Contractor Identification ===

Company N

ame:BORNE CHEMICAL CO INC

Address:632 SOUTH FRONT ST

Box:City:ELIZABETH

State:NJ

ZIP:07200

Country:US

Phone:201-351-1717

CAGE:17425

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL

Fraction by Wt: >50%

ACGIH TLV:5 MG/CUM(MIST)

=====
Hazards Identification
=====

Effects of Overexposure:EYES/SKIN/INHAL: BELIEVED TO BE MINIMALLY
IRRITATING.

=====
First Aid Measures
=====

First Aid:EYES/SKIN: WASH WITH PLENTY OF WATER.

=====
Fire Fighting Measures
=====

Flash Point:475F/246.1C (COC

Lower Limits:1.0

Upper Limits:6.0

Extinguishing Media:FOAM, DRY CHEMICAL, CO*2, OR WATER FOG OR SPRAY.

Fire Fighting Procedures:USE AIR SUPPLIED BRTHNG EQUP; COOL EXPOS.

CONT. W/H*20 SPRAY

Unusual Fire/Explosion Hazard:DO NOT NIX OR STORE WITH STRONG OXIDANTS
LIQUID CHLORINE OR CONCENTRATED OXYGEN.

=====
Accidental Release Mea

sures =====

Spill Release Procedures:CONTAIN SPILL; ASSORB WITH INERT POROUS MATERIAL. DISPOSE IAW LOCAL AND STATE LAW. CONACT LOCAL WASTE SPECIALIST IF NECESSARY.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AS MINERAL OIL; AVOID EXPOSURE TO HAT FOR LONG PERIODS.
Other Precautions:NONE INDICATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED IF CONC OF MATERIAL EXCEEDS TLV LIMIT.
Ventilation:AS REQUIRED TO MAINTAIN CONC OF MATERIAL BELOW TLV.
Protective Gloves:NONE REQUIRED.
Eye Protection:GOGGLES,FACE MASK OPTIONL
Other Protective Equipment:NONE CONSIDERED NECESSARY.
Supplemental Safety and Health
MSDS UNDATED.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:700-900F
Vapor Pres:12.
Spec Gravity:0.8916
Solubility in Water:NEGLIGIBLE
Appearance and Odor:TAN LIQUID, MILD HYDROCARBON ODOR.
Percent Volatiles by Volume:NEGL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
MFR STATES "NONE"
Stability Condition to Avoid:EXPOSURE TO HIGH TEMPS FOR LONG PERIODS.
Hazardous Decomposition Products:CARBON MONOXIDE CARBON DIOXIDE, COMBUSTION PRDS. OF(N.)&(S).
Conditions to Avoid Polymerization:WILL NOT POLYMERIZE.

===== Disposal Considerations =====

Waste Disposal Methods:USER MUST DE

TERMINE @ TIME OF DISPOSAL IF UNDER

RCRA CRITERIA WASTE QUALIFIES AS HAZARDOUS. THIS CAN BE CAUSED BY
PRODUCT UES (MIXTUE, PROCESS, CHEM. TRANSFORMATION).

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizin

g this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.