

CONTINENTAL OIL CO. -- CONOCO FLEET MOTOR OIL, GRADE 30 -- 9150-00-186-6681

=====
Product Identification
=====

Product ID: CONOCO FLEET MOTOR OIL, GRADE 30

MSDS Date: 01/01/1985

FSC: 9150

NIIN: 00-186-6681

MSDS Number: BDHCC

=== Responsible Party ===

Company Name: CONTINENTAL OIL CO.

Emergency Phone Num: 405-767-3456

CAGE: KO523

=== Contractor Identification ===

Company Name: CONOCO INC

Address: 1000 S PINE

Box: 1267

City: PONCA CITY

State: OK

ZIP: 74603

Country: US

Phone: 800-441-3637, CHEMTREC 800-424-9300

CAGE: 58326

Company Name: CONTINENTAL OIL CO.

CAGE: KO523

=====
Composition/Information on Ingredients
=====

Ingred Name: LUBRICATING OIL

=====
Hazards Identification
=====

Effects of Overexposure: EXCESS INH OF MISTS/VAPORS: PULMONARY DISORDERS. MAY CAUSE EYE IRRIT. SKIN IRRIT POSS.

=====
First Aid Measures
=====

=====

First Aid: EYE: IMMEDIATELY FLUSH WITH WATER AT LEAST 15 MIN, CALL MD. SKIN: WASH THOROUGHLY WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE. GROSSLY CONTAMINATED LEATHER SHOES SHOULD BE DISCARDED. INGEST: LARGE AMOUNTS, INDUCE VOMIT, CALL MD. INHALATION: CALL MD!

=====
Fire Fighting Measures
=====

Flash Point: 390-440 COC

Extinguishing Media: WATER SPRAY, FOAM, CO₂, DRY CHEM

Fire Fighting Procedures: USE PROPER PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP PROMPTLY BY ABSORPTION IN CLAY OR EARTH

===== Handling and Storage =====

Handling and Storage Precautions:MAY BE STORED OUTDOORS OR INDOORS AWAY FROM FURNACE OR OTHER HEATING EQUIP

Other Precautions:FOLLOW NEC PRECAUTIONS IAW NFPA CODE 30-1969 FOR COMBUSTIBLE LIQ, CLASS IIIB

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQ

Ventilation:MECH, NORMAL SHOP VENT

Protective Gloves:NONE REQ

Eye Protection:NONE REQ

Supplemental Safety and Health

VAPOR PRESS:NIL.SPECIFIC GRAVITY:0.86.-0.89.MFR STATES PRODUCT IS NOT CONSIDERED TO BE TOXIC ORALLY OR DERMALLY.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F INIT.

Evaporation Rate & Reference:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:C

LEAR BROWN VISCOUS LIQ.- SLIGHT ODOR

Percent Volatiles by Volume:0.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATLS, HEAT, FLAME

Hazardous Decomposition Products:NORMAL COMBUST: CO*2, WATER VAPOR.
INCOMP COMBUST: CO.

===== Disposal Considerations =====

Waste Disposal Methods:MFR SUGGESTS CONTROLLED INCINERATION, STORE FOR PROFESSIONAL REMOVAL & DISPOSAL. AVOID DRAINAG

E INTO SEWER. DISPOSE
IAW LOCAL, STATE, FED REG.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.