

KENDALL REFINING CO. -- SUPER-D III MOTOR OIL, GRADE 30 -- 9150-00-188-9858

=====  
Product Identification  
=====

Product ID: SUPER-D III MOTOR OIL, GRADE 30

MSDS Date: 01/01/1985

FSC: 9150

NIIN: 00-188-9858

MSDS Number: BDHMP

=== Responsible Party ===

Company Name: KENDALL REFINING CO.

Emergency Phone Num: 814-368-6111

CAGE: KENDA

=== Contractor Identification ===

Company Name: KENDALL REFINING COMPANY

Add

ress: 77 N. KENDALL AVE

Box: 2000

City: BRADFORD PA.

State: PA

ZIP: 16701

Country: US

Phone: 814-368-6111

CAGE: KENDA

Company Name: WITCO CHEMICAL CORP, KENDALL REFINING CO. DIVISION

Address: 77 N KENDALL AVENUE

Box: 2000

City: BRADFORD

State: PA

ZIP: 16701-1726

Country: US

Phone: 814-368-6111

CAGE: 75273

=====  
Composition/Information on Ingredients  
=====

Ingred Name: PETROLEUM HYDROCARBON

Ingred Name: ADDITIVES

=====  
Hazards Identification  
=====

Effects of O

verexposure:EYE: IRRIT. AVOID SKIN CNTCT, MAY CAUSE DERMAT  
OR SENSIT TO SOME INDIV.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH W/WATER. IF IRRIT, CNTCT MD. SKIN: REMOVE W/CLOTH  
OR PAPER & WASH AREA W/SOAP & WATER. SWALLOWED: CALL MD.

=====  
Fire Fighting Measures  
=====

Flash Point:205C, 400F  
Lower Limits:1.0  
Upper Limits:10  
Extinguishing Media:DRY CHEM, FOAM, CO\*2  
Fire Fighting Procedures:DO NOT USE WATE  
R EXCEPT AS FOG

=====  
Accidental Release Measures  
=====

Spill Release Procedures:IF VOLUME SIGNIFICANT, TRANSFER INTO CNTNRS  
FOR DISPOSAL. USE OIL ABSORBENT PROD TO REMOVE BAL OF SPILL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:HANDLE & STORE AT ROOM TEMP

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH/MSHA APPRVD DEVICE IF NEC  
Ventilation:MFR STATES N  
OT REQ. ADEQUATE TO PROT FROM OIL MIST.  
Protective Gloves:NOT REQ  
Eye Protection:NOT REQ  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
VAPOR PRESSURE:NIL. % VOLATILE BY WT: NIL. SPECIFIC GRAVITY:  
0.868-0.896.

=====  
Physical/Chemical Properties  
=====

HCC:V6  
Boiling Pt:B.P. Text:330C, 626F  
Evaporation Rate & Reference:NIL  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:FLUIDITY-LIKE MOTOR OIL, BLAND ODOR

=====  
Stability and Re

activity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

Hazardous Decomposition Products: IF BURNED: CO\*2 IF ADEQ AIR, CO\*2 & CO  
IF INADEQ AIR.

===== Disposal Considerations =====

Waste Disposal Methods: USE OIL DISPOSAL METHOD TO SATISFY LOCAL REG

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of

America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.