

CHEMICAL COMMODITIES (DIST),STAUFFER CHAMICAL(MFR) -- HYDROCHLORIC ACID --  
6750-00-200-4206

===== Product Identification =====

Product ID:HYDROCHLORIC ACID

MSDS Date:01/01/1985

FSC:6750

NIIN:00-200-4206

MSDS Number: BDJGJ

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES (DIST),STAUFFER CHAMICAL(MFR)

Address:BERGEY RD

Box:100

City:HATFIELD

State:PA

ZIP:19440

Country:US

CAGE:00063

=== Con

tractor Identification ===

Company Name:CHEMICAL COMMODITIES(DIST),KEYSTONE-INGHAM(MFR).

Box:1087R

Phone:213-926-4461

CAGE:00063

Company Name:STEIERT A AND SON INC

Address:BERGEY RD

Box:100

City:HATFIELD

State:PA

ZIP:19440

Country:US

CAGE:97856

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS:7647-01-0

RTECS #:MW4025000

Fraction by Wt: 36.0%

OSHA PEL:C 5 PPM

ACGIH TLV:C 5 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT R

pt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:IRRITATION OF NOSE & LUNGS.LIQUID CAUSES BURNS TO SKIN & EYES.IF INHALED,MAY BE HARMFUL,SHOCK,FEVER.

===== First Aid Measures =====

First Aid:MOVE VICTIM TO FRESH AIR,CALL DOCTOR.REMOVE & ISOLATE CONTAMINATED CLOTHING & SHOES.IN CASE OF CONTACT W/MATERIAL,IMMEDIATELY FLUSH SKIN OR EYES W/RUNNING WATER FOR AT LEAST 15 MIN.KEEP VICTIM QUIET & MAINTAIN NORMAL BODY TEMP.

===== Fire Fighting Measures =====

Extinguishing Media:SODA ASH,FLAKED LIME,CO<sub>2</sub>,DRY CHEMICAL EXTINGUISHERS OR H<sub>2</sub>O  
Unusual Fire/Explosion Hazard:HCL IS NON-FLAMMABLE,BUT IN CONTACT W/VARIOUS MATERIALS,ITS CORROSIVE ACTION WILL CAUSE H<sub>2</sub> TO EVOLVE

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL,STOP LEAK IF YOU CAN DO IT W/OUT RISK.  
SMALL SPILLS:TAKE UP W/SAND,OR OTHER NONCOMBUSTIBLE ABSORBENT MATERIAL,THEN FLUSH AREA W/WATER,OR COVER W/SODIUM CARBONATE OR AN EQUAL MIX OF SODA ASH & SLAKED LIME.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE.STORE IN A COOL,WELL-VENTILATED PLACE SEPARATED FROM OXIDIZING SUBSTANCES.WEAR RUBBER GLOVES.DO NOT STAY IN SUN  
Other Precautions:WEAR SELF CONTAINED BREATHING APPARATUS,STORE IN WELL-VENTILATED PLACES & AWAY FROM HIGHLY FLAMMABLE SUBSTANCES,ALSO AWAY FROM ELEVATORS,GANGWAYS & ALL LOCALS WHERE MOVING OBJECTS MAY FALL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS W/CHEMICAL PROTECTIVE SUIT.  
Ventilation:MECHANICAL IS REQUIRED  
Protective Gloves:RUBBER  
Eye Protection:FACE SHIELDS,SAFETY GOGGLES  
Other Protective Equipment:SAFETY SHOWERS,RUBBER OR ACID RESISTANT APRONS & BOOTS.

Supplemental Safety and Health

DEVLIST DTD 13 APR 62 ASAPH 40104 IS USED IN CONJUNCTION

WITH FED.SPEC.0-C-275.DO NOT STORE ITEM NEAR HEATING DEVICES OR  
DIRECT SUNLIGHT (SUNS).

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:230F

Vapor Pres:73

Spec Gravity:1.17

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR,COLORLESS TO SLIGHTLY YELLOW LIQ./SHARP ODOR

===== Stability and Reactivity Data =====

Stability

Indicator/Materials to Avoid:YES

METALS & METAL OXIDES,WHICH EVOLVES ESPLOSIVE H\*2 GAS,OXIDS.

Stability Condition to Avoid:HCL WILL YELLOW UPON EXPOSURE TO

IRON,CHLORINE,ORG.SUBSTANCE

Hazardous Decomposition Products:TOXIC & IRRITATION VAPORS WHEN

HEATED,L.G.CHLORINE GAS.

===== Disposal Considerations =====

Waste Disposal Methods:ADD SLOWLY TO A LARGE AMOUNT OF SOLUTION OF SODA  
ASH & SLAKED LIME BY STIRRING.DISCHARGE THE SOLUTION W/LARGE AMOUNT  
O

F WATER INTO A SINK LINED W/PROTECTIVE MATTING & FILLED W/CHIPPED  
MARBLE OR DISPOS E ACCORDING TO LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent pro

fessional advice to verify and

assume responsibility for the suitability of this information to their  
particular situation.