

BASF WYANDOTTE CORP -- PLURACOL POLYOL TP-4040 -- 8475-00-208-9275

=====  
Product Identification  
=====

Product ID:PLURACOL POLYOL TP-4040

MSDS Date:06/01/1982

FSC:8475

NIIN:00-208-9275

MSDS Number: BDJPP

=== Responsible Party ===

Company Name:BASF WYANDOTTE CORP

Address:100 CHERRY HILL ROAD

Box:181

City:PARSIPPANY

State:NJ

ZIP:07054-1106

Info Phone Num:201-263-3400

Emergency Phone Num:201-263-3400

CAGE:1T774

=== Contractor Identification ===

Company Name:BASF CORPORATION

Box:13528

City:RESEARCH TRIANGLE PARK

State:NC

ZIP:27709

Country:US

Phone:919-547-2000

CAGE:1T774

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PLURACOL POLYOL TP-4040

Fraction by Wt: 100%

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOM

S OF OVEREXP.

Explanation of Carcinogenicity:N/K

Effects of Overexposure:MAY CAUSE SLIGHT SKIN OR EYE IRRITATION UPON CONTACT. INHALATION HAZARD NOT ANTICIPATED AT NORMAL TEMP.

Medical Cond Aggravated by Exposure:N/K

=====  
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR @ LEAST 15 MIN.CALL PHYSICIAN.  
SKIN:WASH AFFECTED AREA THOROUGHLY WITH SOAP & H\*2O.IF IRRIT PERSISTS,CALL PHYSICIAN. INHAL:REMOVE TO FRESH AIR. INGEST:INDUCE

VOMITING.GET MEDICAL ATTENTION IMMED.NEVER GIVE FLUIDS OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAVING CONVULSIONS.

=====  
===== Fire Fighting Measures =====

Flash Point:455F/235C (COC)

Extinguishing Media:WATER FOG,FOAM,CO\*2,DRY CHEMICAL

Fire Fighting Procedures:SELF-CONTAINED BREATH APP AND TURNOUT GEAR

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES,FLUSH WITH COOL WATER,OR

ABSORB ON ABSORBENT MATERIAL.LARGE SPILLS SHOULD BE CONTAINED,ABSORBED & SCOOPED INTO CONTAINERS FOR REMOVAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A VENTILATED STORAGE AREA BELOW 120F/48C. KEEP CONTAINER CLOSED TO PREVENT MOISTURE CONTAMINATION.USE ONLY WITH ADEQUATE VENTILATION.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED @ NORMAL TEMPERATURES(MFR).

NIOSH/MSHA APPROVED RESPIRATORY PROTECTION APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:MECHANICAL

Protective Gloves:RUBBER

Eye Protection:CHEMICAL WORKERS GOGGLES.

Other Protective Equipment:AS NEEDED TO AVOID SKIN CONTACT.

Work Hygienic Practices:AVOID CONTACT W/SKIN AS REQUIRED BY NORMAL GOOD HYGIENE PRACTICE.WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

THIS CONTAINER MAY BE UNSAFE WHEN EMPTIED BECAUSE OF PRESENCE OF PRODUCT RESI

DUES(VAPOR,LIQUID/SOLID) THEREFORE,ALL LABELED  
PRECAUTIONS MUST BE OBSERVED.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT DISTILL

Vapor Pres:LOW

Spec Gravity:1.0

Solubility in Water:LOW

Appearance and Odor:WATER WHITE,SLIGHT VISCOUS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID MOISTURE TO PROTECT PRODUCT QUALITY.

Stability Condition to Avoid:EXPOSURE TO M

OISTURE,TEMPERATURES GREATER

THAN 300F.

Hazardous Decomposition Products:N/K

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY AT A LICENSED FACILITY. DO  
NOT DISCHARGE IN TO WATERWAYS OR SEWER SYSTEMS WITHOUT ADEQUATE  
TREATMENT. CONTAINERS MAY BE DISPOSED OF,OR RECLAIMED IN A ROUTINE  
MANNER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of

the Department

of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.