

STABOND CORPORATION -- STABOND HT-4 (FIREWALL SEALANT) -- 8030-00-209-0602

=====
Product Identification
=====

Product ID:STABOND HT-4 (FIREWALL SEALANT)

MSDS Date:01/01/1985

FSC:8030

NIIN:00-209-0602

MSDS Number: BDJQB

=== Responsible Party ===

Company Name:STABOND CORPORATION

Emergency Phone Num:213/ 770-0591

CAGE:GO049

=== Contractor Identification ===

Company Name:STABOND CORPORATION

Address:1

4010 S WESTERN AVE

Box:City:GARDENA

State:CA

ZIP:90249-3008

Country:US

Phone:213-770-0591/800-4249300

CAGE:25670

Company Name:STABOND CORPORATION

Address:14010 S WESTERN AVE

City:GARDENA

State:CA

ZIP:90249-3008

Phone:(213) 770-0591

CAGE:GO049

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 0.03%

OSHA PEL:0.05 MG/M3;1910.1025

ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred

Name:ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE
29CFR 1910.1101)

CAS:1332-21-4

RTECS #:CI6475000

Fraction by Wt: 33%

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:0.5 FIBERS/CC; A1;89

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 30%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Ef

ffects of Overexposure:MAY BE NARCOTIC IN HIGH CONCENTRATIONS.

=====
First Aid Measures
=====

First Aid:REMOVE FROM EXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:82F T.C.C.

Lower Limits:2.2

Upper Limits:7.0

Extinguishing Media:CO2 OR DRY CHEMICAL

Fire Fighting Procedures:TREAT AS FLAMMABLE SOLID IN WET STATE.

=====
Accidental Release Measures
=====

Spill Release Procedures:WET MATE

RIAL SHOULD BE PLACED IN A METAL

CONTAINER.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE NEAR HEATING EQUIPMENT.

Other Precautions:DO NOT EXPOSE WET MATERIAL TO OPEN FLAME OR SPARKS.

=====
Exposure Controls/Personal Protection
=====

Ventilation:MECHANICAL REQUIRED WHEN APPLIED TO LARGE SURFACE AREAS

Protective Gloves:RECOMMENDED

Supplemental Safety and Health

14010 S. WESTERN AVENUE / GARDENA, CALIF.

90249.

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:280F

Vapor Pres:10

Vapor Density:3.66

Spec Gravity:1.25

Evaporation Rate & Reference:0.6, BUOAC=1

Solubility in Water: