

PENRECO,DIVISION OF PENNZOIL -- MIL-C-6529,CORR.PREVENTIVE,TY 3,(CODE 4047) --  
6850-00-209-7230

===== Product Identification =====

Product ID:MIL-C-6529,CORR.PREVENTIVE,TY 3,(CODE 4047)

MSDS Date:01/01/1985

FSC:6850

NIIN:00-209-7230

MSDS Number: BDJQL

=== Responsible Party ===

Company Name:PENRECO,DIVISION OF PENNZOIL

Emergency Phone Num:(412) 283-5600

CAGE:KO620

=== Contractor Identification ===

Company Name:PENRECO, DIV OF PENNZOIL CO

Address:700 MILIAM ST

Box:2967

City:HOUSTON

State:TX

ZIP:77252

Country:US

Phone:800-245-3952

CAGE:86459

Company Name:PENRECO,DIVISION OF PENNZOIL

CAGE:KO620

===== Composition/Information on Ingredients =====

Ingred Name:CORROSION PREVENTIVE COMPOUND

===== Hazards Identification =====

Effects of Overexposure:IRRITATES SKIN,EYES,MUCOUS

MEMBRANES.OVEREXPOSURE TO VAPOR CAN CAUSE ASPIRATION PNEUMONIA

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER.SKIN-WASH WITH SOAP & WATER.CALL DOCTOR  
FOR SKIN & EYES.IF PRODUCT IS HOT-TREAT AFFECTED AREAS FOR  
BURNS.INHALATION-MOVE TO FRESH AIR.GIVE OXYGEN/ARTIFICIAL  
RESPIRATION IF NECESSARY.CALL DOCTOR IMMEDIATELY

===== Fire Fighting Measures =====

Flash Point:275 F C.O.C.

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS FOAM

Fire Fighting Procedures:WA

TER WILL SCATTER LIQUID-USE TO KEEP  
SURROUNDINGS COOL

Unusual Fire/Explosion Hazard:MAY CREATE DENSE SMOKE DURING  
COMBUSTION.MODERATE FIRE HAZARD IF HEATED ABOVE FLASH POINT

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN SAND OR APPROPRIATE  
ABSORBANT.ELIMINATE IGNITION SOURCES.PROVIDE ADEQUATE VENTILATION  
CLEAN UP RESIDUE WITH PETROLEUM SAFETY SOLVENT.

===== Handling and Storage =====

H

Handling and Storage Precautions:STORAGE SHOULD BE IN ACCORDANCE WITH  
29 CFR 1910.106

Other Precautions:DO NOT USE COMPRESSED OXYGEN APPARATUS IN HYDROCARBON  
ATMOSPHERE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED MIST OR AIR SUPPLIED FOR HIGH CONC.(SEE  
OTHER PRECAUTIONS)

Ventilation:MECHANICAL TO KEEP BELOW TLV.USE EXPLOSION PROOF FANS

Protective Gloves:RUBBER

Eye Protection:SPLASH PROOF GOGGLES

Other Protective Equipment:BOOTS

,APRON,ETC

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:0

Spec Gravity:0.88

Evaporation Rate & Reference: