View NSN Online: https://aerobasegroup.de/nsn/6850-00-209-7234

CASTROL INC, BRAY PRODUCTS DIV -- BRACO 482 -- 6850-00-209-7234

Product ID:BRACO 482 MSDS Date:11/21/1988 FSC:6850 NIIN:00-209-7234 MSDS Number: BDJQP === Responsible Party === Company Name: CASTROL INC, BRAY PRODUCTS DIV Address:16715 VON KARMAN AVE, SUITE 230 City:IRVINE State:CA ZIP:92714 Info Phone Num:714-660-9414 Emergency Phone Num:714-660-9414 Preparer's Nam e:KAREL WRIGHT CAGE:EO119 === Contractor Identification === Company Name: CASTROL INC, BRAY PRODUCTS DIV. Address:16715 VON KARMAN AVE, SUITE 230 Box:City:IRVINE State:CA ZIP:92714 CAGE:EO119 Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS DIV Address:1001 WEST 31ST STREET Box:City:DOWNERS GROVE State:IL ZIP:60515-1280 Country:US Phone:800-621-2661/ FAX: 630-241-4140 CAGE:2R128

Ingred Name:MIL-L-6082 GR

ADE 1100 LUBRICATING OIL (PER SPEC) Fraction by Wt: 3% PARTS Other REC Limits: ACGIH STEL 10 MG/M3 OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST Ingred Name: CORROSION INHIBITOR PER MIL-C-6592 TY I (PER SPEC) Fraction by Wt: 1% PART Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: PRODUCT IS VERY LOW TOXICITY. IT WILL NOT PR ESENT AN INHALATION UNDER USE. IT COULD BE MISTED AND THEN WOULD BE HAZARDOUS AND SUBJECT TO A PEL/TLV. Effects of Overexposure: EYE: IRRITATION, REDNESS. SKIN: IRRITATION, DEFATTING, DERMATITIS. INHALED: (MIST) RESPIRATORY **IRRITATION.** Medical Cond Aggravated by Exposure:NONE REPORTED. First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER. INHALED: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OR OXYGE Ν AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE LARGE QUANTITY OF MILK OR WATER. (NOTHING BY MOUTH IF UNCONSCIOUS.) GET IMMEDIATE MEDICAL ATTENTION. IF ANY IRRITATION PERSISTS OR IS SEVERE, GET PROMPT MEDICAL CARE. Flash Point Method:COC Flash Point:495F/256C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS. USE WATER TO COOL FIRE EXPO SED CONTAINERS. **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: USE PROPER PERSONAL PROTECTION; USE SUITABLE INERT ABSORBENT MATERIALS AND RECOVER FOR PROPER DISPOSAL. Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. DO NOT STORE NEAR HEAT, OXIDIZERS. Other Precautions: AVOID CONTACT WITH SKIN AND EYES: DO NOT BREATH

VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.DO NOT USE CONTAMINATED CLOTHES.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE EXPECTED TO BE NECESSARY.IF PRODUCT IS MISTED,WEAR NIOSH/MSHA APPROVED CARTRIDGE RESPIRATOR FOR OIL MISTS. Ventilation:NORMAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS. Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES. Other Protective Equipment:FULL WORK CLOTHING T O PREVENT REPEATED OR PROLONGED CONTACT. Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. Supplemental Safety and Health MSDS DATED:01/07/87

HCC:N1

Boiling Pt:B.P. Text:>500F/260C Vapor Density:>1 Spec Gravity:0.86 Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:NEGLIGIBLE Appearance and Odor:AMBER F LUID,PETROLEUM HYDROCARBON ODOR. Percent Volatiles by Volume:NIL

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:EXTREME HEAT,OPEN FLAMES. Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS. HMIS SUGGESTS RECOVERY OR RECLAIM

Ε

## IF POSSIBLE. MFR SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.