

ROYAL LUBRICANTS CO, INC -- ROYCO 885 -- 9150-00-223-4129

=====
Product Identification
=====

Product ID:ROYCO 885

MSDS Date:01/01/1987

FSC:9150

NIIN:00-223-4129

MSDS Number: BDKHL

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO, INC

Emergency Phone Num:201-887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:

EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:DI-SEC-OCTYL PHTHALATE (DI-2-ETHYLHEXYL-PHTHALATE) (SARA III)

CAS:117-81-7

RTECS #:TI0350000

Fraction by Wt: 90%

OSHA PEL:5 MG/M3/10 STEL

ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:BARIUM SULFONATE

CAS:25619-56-1

RTECS #:CR0700000

Fraction by Wt: 8%

OSHA PEL:0.5 MG/M3 (BA)

ACGIH TLV:0.5 MG/M3 (BA); 8

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL

CAS:128-37-0

RTECS #:GO7875000

Fraction by Wt: 2%

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3; 9192

=====
Hazards Identification
=====

Effects of Overexposure:IRRITATES EYES

=====
First Aid Measures
=====

First Aid:EYES:WASH OUT WITH COPIOUS QTY OF WATER. SKIN:USE WATERLESS
HAND CLEANER FOLLOWED BY WASHING WITH SOAP & WATER.

=====
Fire Fighting Measures
=====

Flash Point:425F(COC)
Extinguishing Media:FOAM,CARBON DIOXIDE, DRY CHEMICAL

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB SPILL WITH DIATOMACEOUS EARTH

=====
Handling and Storage
=====

Other Precautions:AVOID BREATHING OF OIL MIST

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NORMALLY REQUIRED
Ventilation:ONLY IF OIL SPRAY IS BEING GENERAT
ED
Eye Protection:GOGGLES
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:V6
Boiling Pt:B.P. Text:700F
Spec Gravity:0.93
Solubility in Water:INSOLUBLE
Appearance and Odor:LIGHT TAN OIL, VERY SLIGHT ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:CARBON MONOXIDE PLUS SMOKE & FUMES

=====
Disposal Co

nsiderations =====

Waste Disposal Methods:CONTROLLED BURNING OR APPROVED LANDFILL DISPOSAL

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.