

OCTAGON PROCESS INC. -- VV-C-846A,TYPE I;CUTTING FLUID -- 9150-00-234-5198

=====
Product Identification
=====

Product ID:VV-C-846A,TYPE I;CUTTING FLUID

MSDS Date:10/02/1987

FSC:9150

NIIN:00-234-5198

MSDS Number: BDLKP

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:

(201)945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Other REC Limits:5MG/CUM,AS OIL MIST

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:EMULSIFIERS

=====
Hazards I

dentification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN,RESPIRATORY TRACT. CHRONIC:REDNESS OR DRYING OF SKIN;DERMATITIS.

Effects of Overexposure:SKIN:REPEATED OR PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE

===== First Aid Measures =====

First Aid:SKIN:REMOVE OIL BY WIPING, THOROUGHLY WASH W/ SOAP & WATER.

EYES:WASH W/WATER, GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:380F/193C

Extinguishing Media:FOAM, CO*2, DRY CHEMICALJ

Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER SPRAY

Unusual Fire/Explosion Hazard:SULFUR OXIDES,CARBON MONOXIDE

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE LIQUID AND ABSORB ON SAND,EARTH

ETC.DIKE SPILL AREA.KEEP OUT OF SEWERS,WATERCOURSES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLCE. AVOID MIST & VAORS & PROLONGED SKIN CONTACT. USE MSHA/NIOSH APROVED RESP EQUIP, IF NECESSARY.

Other Precautions:CLEAN CONTAMINATED CLOTHING BEFORE REUSE.USE GOOD PERSONAL HYGIENE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSD TLV,NIOSH/MESA APPR SELF-

CNTND BRTHG

APP (POS PR MODE)

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:CHEM.RESISTANT

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:EYE WASH STATION. APRONS. SPECIAL IMPERVIOUS CLOTHING.

Supplemental Safety and Health

MSDS RECEIVED BY DGSC:JULY 6,1988.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:680F/360C

Spec Gravity:0.92

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PALE YELLOW LIQUID,MI
LD PETROLEUM-LIKE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS LIKE LIQ.CHLORINE,CONC OXYGEN,NA & CA HYPOCH

Hazardous Decomposition Products:CO,OXIDES OF SULFUR AND NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/FED, STATE & LOCAL
CODES.

Disclaimer (provided with this information by the compiling agencies):

This information

is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.