

ALLIED CHEMICAL CORP -- SODIUM HYDROXIDE,FLAKE/PELLET -- 6810-00-234-8373

=====
Product Identification
=====

Product ID:SODIUM HYDROXIDE,FLAKE/PELLET

MSDS Date:01/01/1985

FSC:6810

NIIN:00-234-8373

MSDS Number: BDLML

=== Responsible Party ===

Company Name:ALLIED CHEMICAL CORP

Address:COLUMBIA RD & PARK AVE

Box:1087R

City:MORRISTOWN

State:NJ

ZIP:07960

Country:US

Emergency Phone Num:800-424-9300

CAGE

:1L168

=== Contractor Identification ===

Company Name:ALLIED CHEMICAL COMPANY

Box:1087R

CAGE:1L168

Company Name:ALLIED-SIGNAL INC

Address:Box:2332R

City:MORRISTOWN

State:NJ

ZIP:07962-2332

Country:US

Phone:201-455-4414

CAGE:1L164

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000

Fraction by Wt: 97%.

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====

= Hazards Identification =====

Effects of Overexposure:SKIN:MAY CAUSE SEV BURNS;EYES:RAPIDLY CAUSES SEV DAMAGE;INH:DUST/MIST MAY DAMAGE ENTIRE RESP TRACT.

===== First Aid Measures =====

First Aid:IMMED REMOVAL OF CAUSTIC IS OF PRIMARY IMPORTANCE;SKIN:FLUSH W/LG AMTS OF WATER FOR 1-2 HRS OR UNTIL MED HELP ARRIVES;EYES:FLUSH IMMED W/COPIOUS AMTS WATER FOR AT LEAST 15 MIN.GET MED HELP AT ONCE FOR EYES/SKIN BURNS;INH:REMOVE TO FRESH AIR.GET MEDIC

===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:FLOOD W/WATER,USING CARE NOT TO SPLATTER OR SPLASH
Fire Fighting Procedures:USE NIOSH APPRVD SELF-CNTND BRTHG APP & FULL PROTEC CLOTHING
Unusual Fire/Explosion Hazard:GIVES H2 GAS WHEN IN CONTACT W/AL,LEAD,TIN, ZINC & THEIR ALLOYS;CONTACT W/WATER OR SEE SUPPL DATA

===== Accidental Release Measures =====

=====

Spill Release Procedures:IMMED SWEEP UP,REMOVE & PLACE IN CLOSED CONTNR,PROVIDING STAFF PROTECTION & AVOID CONTACT W/METALS.DISSOLVE/NEUTRALIZE & FLUSH AWAY REMAINDER,KEEPING OUT OF SEWER.USE W/CARE DIL ACETIC ACID TO NEUTRAL IZE CAUSTIC TRACES.IF GIVES H*2 EVAC/VENT AREA.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT MIX HOT WATER W/CAUSTIC SODA.ADD CAUSTIC TO COLD WATER W/STIRRING AS HEAT IS EVOLVED.HEAT IS EVOLVED IN NEUTRALIZING.AVOID SPATTERING THE SOLN.
Other Precautions:FOR FURTHER DETAILS SEE MCA CHEM SAFETY DATA SHEET SD-9 AVAILABLE FM MFGR CHEMISTS ASSOC,1825 CONNECTICUT AVE,NW WASH DC. PRECAUTIONS LISTED IN THIS DATA SHEET APPLY ALSO TO AQUEOUS SOLUTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SPECIAL(MECH)FILTER RESP FOR MIST/DUST.IF H*2 GAS*SEE SUPP DATA*
Ventilation:LOCAL EXH:AS NEEDED TO ELIM DUST/

MIST;MECH(GEN):IF NOT
DUSTY

Protective Gloves:RUBBER/NEOPRENE

Eye Protection:CHEM SAFETY GOGGLES

Other Protective Equipment:FACE SHLD,HARD HATS,RUBBER APRON,RUBBER
BOOT/CLOTH AS REQD.

Supplemental Safety and Health

**UNUSUAL FIRE:OR MOISTURE MAY GIVE SUFFF HEAT TO IGNITE COMBUSTIBLE
MATLS. *RESP PROTEC:IS BEING PRODUCED,USE HOSE MASK/SELF CNTND
BRTHG APP.PRODUCT IN PELLETT FORM,UNDER FED SPEC O-C-265

===== Physical/Chemical Properties =====

HCC:B1

Spe
c Gravity:2.13
Solubility in Water:APPRECIABLE
Appearance and Odor:WHITE FLAKES OR PELLETS WITH NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRON OXIDIZERS,ACIDS & FLAMMABLE MATL,REACTIVE METALS &SALT
Stability Condition to Avoid:HUMID AREA
Hazardous Decomposition Products:H*2 GAS IN CONTACT
W/ALUMINUM,ZINC,TIN,LEAD & THEIR ALLOYS
Conditions to Avoid Polymerization:UNK

===== Disposal Considerations
=====

Waste Disposal Methods:IF DISPOSAL REGS PERMIT DISCHARGE OF NEUTRAL
SOLNS;DISSOLVE IN WATER,COOL & NEUTRALIZE CAREFULLY W/DILUTE
ACID,SUCH AS ACETIC ACID.THEN FLUSH TO SEWER W/LOTS OF
WATER.DISPOSAL BY A LICENSED CONTRACTOR MAY OTHERWISE BE NEEDED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
ex

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.