

ROYAL LUBRICANTS COMPANY,INC. -- ROYCO 49 -- 9150-00-235-5555

=====
Product Identification
=====

Product ID:ROYCO 49

MSDS Date:01/01/1987

FSC:9150

NIIN:00-235-5555

MSDS Number: BDLPG

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY,INC.

Emergency Phone Num:(201) 887-3100

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box

:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBON

Fraction by Wt: UNK

Ingred Name:MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

Fraction by Wt: UNK

OSHA PEL:10 MG/M3 TDUST (MO)

ACGIH TLV:10 MG/M3 (MO); 8990

Ingred Name:DIATOMACEOUS CLAY

Fraction by Wt: UNK

=====
Hazards Identification
=====

Effects of Overexpos

ure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====
First Aid Measures
=====

First Aid:ING:DO NOT INDUCE VOMITG.IF ASPIRATION IS CAUSED BY VOMITG,OBTAIN MEDICAL ATTN IMMEDIATELY;SKIN RASHES AS A RESULT OF PROLONGED CONTACT OBTAIN MEDICAL ADVICE;EYES:EFFECTED EYES SHOULD BE WASHED IMMEDIA TELY W/H*2O FOR 15 MINS.

=====
Fire Fighting Measures
=====

Extinguishing Media:CO*2,DRY CHEMICAL,POWDER O R FOAM EXTINGUISHERS

Fire Fighting Procedures:DO NOT USE WATER JETS.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:USE APPROPRIATE PROTECTV EQUIPMENTS SUCH AS GLOVES & SAFETY GLASSES/GOGGLES. CLEAN-UP WITH METAL SCRAPERS & RAGS.SPREAD DRY SAND OR MINERAL ABSORBENT OVER REMAINING GREASE & SHOVEL INTO SALVAGE CONTAI NERS.

=====
Handling and Storage
=====

Handling and

Storage Precautions:STORE IN COOL DRY PLACE.KEEP CONTAINERS TIGHT;MFR NOTES NORMAL PROCEDURES & QUALITY CONTROL REQUIREMENTS.

Other Precautions:WASH HANDS THOROUGHLY WITH SOAP & WARM WATER BEFORE HANDLING FOOD OR SMOKING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NONE NOTED BY MFR.

Protective Gloves:AS REQUIRED

Eye Protection:GOGGLES

Other Protective Equipment:WEAR APRONS

Supplemental Safety and Hea

lth

MSDS IS UNDATED;SPEC REF:MIL-G-23549C.SINCE ITEM IS GREASE,GENERAL PURPOSE,THE FLASH POINT USUALLY ABOVE 200F.ALTHOUGH,THE MFR WAS UNABLE TO GIVE FLASH OR BOILING POINT,DGSC ASSIGNS F6.STG CD

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:UNK

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREASE(PASTE-LIKE SOLID)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE NOTED B

Y MFR.

Hazardous Decomposition Products:CO,CO*2,OXIDES OF MOLYBDENUM.

Conditions to Avoid Polymerization:UNKNOWN.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS MFR SPECIFIED THAT DRAINAGE SYSTEMS,RIVERS OR WATERWAYS SHOULD NOT BE CONTAMINATED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.