

OCTAGON PROCESS INC. -- LUBRICANT;COLLOIDAL,GRAPHITE,GRADE A -- 9150-00-235-5581  
===== Product Identification =====

Product ID:LUBRICANT;COLLOIDAL,GRAPHITE,GRADE A

MSDS Date:01/01/1987

FSC:9150

NIIN:00-235-5581

MSDS Number: BDLPV

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Info Phone Num:201-945-9400

Emergency Pho

ne Num:201-945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

===== Composition/Information on Ingredients =====

Ingred Name:LUBRICANT (COLLIODAL GRAPHITE)

Other REC Limits:5MG/CUM(AS OIL MIST)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acut

e and Chronic:ACUTE:NO DATA IS GIVEN;MAY IRRITATE EYES,SKIN OR RESPIRATORY TRACT. CHRONIC:NO DATA AVAILABLE.  
Effects of Overexposure:ACUTE:NONE EXPECTED;CHARONIC:NO EVIDENCE AT PRESENT TO INDICATE ANY EFFECTS.  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

=====  
===== First Aid Measures =====

First Aid:SKIN:WASH W.SOAP & H\*2O. EYES:FLUSH W. H\*2O. INGESTED:DON'T INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OX YGEN IF  
NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

=====  
===== Fire Fighting Measures =====

Flash Point:224F/168C  
Extinguishing Media:CO\*2, FOAM, DRY CHEM.  
Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINER COOL WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:DIKE AREA.CONTAIN SPILL.ABSORB SMALL SPILLS &  
PLACE IN SUITABLE CONTAINER FOR DISPOSAL.LARGE SPILLS MAY BE VACUUMED UP.DO NOT ALLOW MATERIAL TO ENTER SEWERS,WATERCOURSE,ETC.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY PLACE,WASH HAND AND FACE AFTER USING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE UNDER PROPER VENTILATION.  
Ventilation:LOCAL EXHAUST & MECHANICAL.  
Protective Gloves:RUBB

ER/NEOPRENE

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:AS NEEDED TO AVOID SKIN & EYE CONTACT.

Supplemental Safety and Health

MSDS DATED 1-87.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:480F/249C

Spec Gravity:0.89

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PALE YELLOW TO LIGHT AMBER LIQUID,PETROLEUM ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YE

S

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ENVIRONMENTAL REGULATIONS.SPILLS MAY BE REPORTABLE TO EPA.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, w

arrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.