

MALLINCKRODT INC.,SCIENCE PRODUCT DIVISION -- BARIUM CHLORIDE, CAT #3756 --
6810-00-236-5336

=====
Product Identification
=====

Product ID:BARIUM CHLORIDE, CAT #3756
MSDS Date:01/01/1987
FSC:6810
NIIN:00-236-5336
MSDS Number: BDLSW
=== Responsible Party ===
Company Name:MALLINCKRODT INC.,SCIENCE PRODUCT DIVISION
Emergency Phone Num:(314)982-5000
CAGE:62910
=== Contractor Identification ===
Company
Name:MALLINCKRODT SPECIALTY CHEMICALS CO
Address:222 RED SCHOOL LANE
Box:City:PHILLIPSBURG
State:NJ
ZIP:08865
Country:US
Phone:908-859-2151
CAGE:62910

=====
Composition/Information on Ingredients
=====

Ingred Name:BARIUM CHLORIDE
CAS:10361-37-2
RTECS #:CQ8750000
Fraction by Wt: >99%
OSHA PEL:0.5 MG/M3 (BA)
ACGIH TLV:0.5 MG/M3 (BA); 8990

=====
Hazards Identification
=====

Effects of Overexposure:INH:DUST IRRIT RESP TRACT;MAY CAUSE SEV GI
PROBLM,VOMIT,DIARR;SKIN/EYES:MAY CAUSE REDNESS,PAIN.

=====
First Aid Measures
=====

First Aid:INHAL:RMV TO FRESH AIR.GIVE CPR/OXYGEN IF BREATHING IS
DIFFICULT.GET MD;INGEST:IMMED INDUCE VOMIT BY GIVING 2 GL OF
WATER.NOTHING BY MOUTH IF UNCONSCIOUS.GET MD IMMED;SKIN/EYES:FLUSH
IMMED W/ LG QTY H 20 FOR 15 MIN.RMV CONTMNTD CLOTHES.GET MED ATTN.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing

Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H2O SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE AN EXPLOSION HAZARD.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA OF SPILL.CLEAN UP PERSONS NEED PROTCTV CLOTHG/RESP PROTCTION FM DUST.PICK UP SPILL & PLACE IN A SUITABLE CONTAINER FOR RECLAMATION OR DISPOSAL IN A METHOD THAT DOES NOT G ENERATE DUST.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTNRS AT COOL,DRY, VENTILATED PLACE.PROTECT AGAINST PHY DAMAGE.

Other Precautions:AVOID BREATHING DUST.USE W/ADEQUATE VENTILATION.KEEP CONTAINRS CLOSED.WASH THOROUGHLY AFTER HANDLING.AVOID SKIN,EYES & CLOTHING CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR RESPIR/SCBA; ESCAPE: GAS MASK

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION

Supplemental Safety and Health

MSDS FM MFR DATED:AUG 26,86,CONFORMS TO OSHA HAZ COMM STD;MELTG PT:963C(1765F) & BOILG PT:1560C(2840F).SOLUBILTY IN WATER:36G/100G WATER @20C.

===== Physical/Chemical Properties =====

HCC:T4

Spec Gravity:3.097

Solubility in

Water:MODERATE

Appearance and Odor:WHITE SOLID.NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

BROMINE TRIFLUORIDE;2-FURAN PERCARBOXYLIC ACID

Hazardous Decomposition Products:MAY EMIT TOXIC FUMES OF CHLORIDES,&
OXIDES OF CA & CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:WHATEVER CANNOT BE SAVED FOR RECLAMATION MAY BE
DISPOSD AS WASTE IN A RCRA APPRVD WASTE DISP
OSAL FACILITY.COMPLY
WITH LOCAL,ST & FED REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.