

MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION -- BROMINE, CAT #0441 -- 6810-00-236-5341  
===== Product Identification =====

Product ID:BROMINE, CAT #0441  
MSDS Date:01/01/1987  
FSC:6810  
NIIN:00-236-5341  
MSDS Number: BDLSX  
=== Responsible Party ===  
Company Name:MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION  
Address:PARIS BYPASS  
Box:M  
City:PARIS  
State:KY  
ZIP:40361  
Country:US  
Info Phone Num:314-982-5000  
Emer  
gency Phone Num:314-982-5000  
CAGE:62910  
=== Contractor Identification ===  
Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO  
Address:222 RED SCHOOL LANE  
Box:City:PHILLIPSBURG  
State:NJ  
ZIP:08865  
Country:US  
Phone:908-859-2151  
CAGE:62910

===== Composition/Information on Ingredients =====

Ingred Name:BROMINE (SARA III)  
CAS:7726-95-6  
RTECS #:EF9100000  
Fraction by Wt: >98%  
OSHA PEL:0.1PPM/0.3 STEL  
ACGIH TLV:O.1PPM/0.3 STEL;9192

===== Hazards Identification =====

=====  
Effects of Overexposure:INH:LIQ/VAP CORR TO BODY  
TISSUES;ING:CORR/VOMITG,SORE THROAT;SKIN/EYES:CORR.CAUSES  
PAIN,BLRRD VISION

=====  
First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR.IF NEEDED,GIVE CPR/OXYGEN.GET  
MD;INGEST:GIVE SEVRL GL OF WATER.DO NOT INDUCE VOMITG.IMMED GET  
MD;SKIN:FLUSH W/LG QTY OF H\*2O FOR 15 MIN.REMV CONTMNTD CLOTHES GET  
MD;EYES:IMMED F LUSH W/PLENTY OF H\*2O FOR AT LEAST 15 MIN.GET MD.

=====  
Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*2O SPRAY TO COOL  
CONTR.  
Unusual Fire/Explosion Hazard:NOT CONSDRD AS EXPLSN HAZARD;FUMES ARE  
EMITD WHEN HEATD.VAP CAN FLOW ALONG SURFCS TO LYING AREAS.

=====  
Accidental Release Measures =====

Spill Release Procedures:ESTABLSH PLAN/TRNG FOR EMERGY.KEEP  
UP  
WIND.VENT/EVAC AREA.USE PROTCTV CLOTHG/RESP EQUIP.CONTAIN/RECUR  
SPILLS IF POSS.NEUTRLZ SM SPILLS W/NA\*2S\*2O\*3 SOLN.DIKE LG SPILL  
W/SAND.SPRAY WATER TO 1 INCH.CAREF ULLY,NEUTRLZ VAP IN AIR W/ANHYD  
NH\*3(SEEDISPOSL)\*

=====  
Handling and Storage =====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTNRS AT  
COOL,DRY,VENTILATED PLACE.PROTECT AGAINST PHY DAMAGE.KEEP ABOVE 20F  
TO AVOID FREEZING BUT AVOID HEATG ABOVE ATM TEMP

Other Precau  
tions:AVOID BREATHING MIST.USE W/ADEQUATE VENTILATION.KEEP  
CONTAINRS CLOSED.WASH THOROUGHLY AFTER HANDLING.AVOID SKIN,EYES &  
CLOTHING CONTACT.\*\*NOTE:ALLOW ONLY QUALIFIED PERSONS TO WORK  
W/BROMINE.

=====  
Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR RESPIR/SCBA; ESCAPE: GAS MASK  
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.  
Protective Gloves:IMPERVIOUS  
Eye Protection:GOGGLES/FACE SHIELD  
Other Protective Equipment:FULL PROTECTIVE C

LOTHING,SAFETY SHOWER,EYE

WASH STATION

Supplemental Safety and Health

MSDS FROM MFR DATED:1 AUG 85 CONFORMS TO OSHA HAZ COMM STD;REACTS  
W/WATER OR STEAM TO PRODUCE FUMES OF HYPOBROMOUSACID & HYDROGEN  
BROMIDE;

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:=57.8C, 136.F

B.P. Text:58C(136F)

Vapor Pres:175

Vapor Density:5.5

Spec Gravity:3.1

Solubility in Water:MODERATE

Appearance and Odor:DARK,REDDISH-BROWN FUMING LIQUID W/PUNGENT ODOR

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER,REDUCING AGENTS,FLAMM MATL,HG,TI,& AL.

Hazardous Decomposition Products:EMITS FUMES OF BROMINE & BROMIDES UPON  
THRML DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:\*NEUTRLZ LIQ BROMINE W/SOLNS OF POT

CARBONATE,SOD CARBONATE OR SOD BICARBONATE.COLLECT OR FLUSH TO SUMP  
FOR DISPOSAL; DISPOSAL:NEUTRALIZED WASTE MAY BE C

ONTNRZD & DISPOSD

IN AN APPRVD WASTE DISPOSAL F ACILITY I/AW LOC,ST,FED REGS;SALVAGE  
BROMIN WASTE

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advi

ce to verify and  
assume responsibility for the suitability of this information to their  
particular situation.