

ROYAL LUBRICANTS COMPANY INC. -- ROYCO 586 L -- 9150-00-240-2235

===== Product Identification =====

Product ID:ROYCO 586 L

MSDS Date:07/18/1989

FSC:9150

NIIN:00-240-2235

MSDS Number: BDMGP

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:72 EAGLE ROCK AVE

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Info Phone Num:201-887-7410

Emergency Phone Num:201-887-741

1/800-424-9300(CHEMTREC)

CAGE:07950

=== Contractor Identification ===

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT REFINED HYDROTREATED HEAVY PARAFFI

NIC DIST.
CAS:64742-54-7
Fraction by Wt: 39 - 60%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL/SEVERELY HYDROTREATED LIGHT NAPHTHENIC DIST.
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: 39 - 60%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 OIL MIST.
ACGIH TLV:5 MG/M3 OIL MIST.

Ingred Name:SULFURIZED ISOBUTYLENE/HYDROCARBONS
CAS:68511-50-2
Fraction by Wt: 1 - 5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MINOR ADDITIVES
Fraction by Wt: 525F,>274C
Melt/Freeze Pt:M.P/F.P
Text:-13F,-25C
Spec Gravity:0.89
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:NEGLIGIBLE
Appearance and Odor:SLIGHT YELLOW TINT WITH A SLIGHT HYDROCARBON ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:EXTREME HEAT
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
SULFUR OXIDES AND HYDROGEN SULFIDE

===== Disposal Con
siderations =====

Waste Disposal Methods:PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN
COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing

this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.