

J.T. BAKER CHEMICAL CO. -- POTASSIUM NITRATE -- 6810-00-241-1207

=====
Product Identification
=====

Product ID:POTASSIUM NITRATE

MSDS Date:01/01/1985

FSC:6810

NIIN:00-241-1207

MSDS Number: BDMMQ

=== Responsible Party ===

Company Name:J.T. BAKER CHEMICAL CO.

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:201-859-2151

Emergency Phone Num:201-859-2151

CAGE:5B970

=== Contractor Identification ===

Company Name:J.T. BAKER CHEMICAL COMPANY SUB OF RICHARDSON-VICKS INC

Address:995 ZEPHYR AVE

Box:City:HAYWARD

State:CA

ZIP:94544-7917

Country:US

Phone:UNK

CAGE:5B970

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

=====
Composition/Information on Ingredients
=====

Ingred Name:POTASSIUM NITRATE

CAS:7757-79-1

RTECS #:TT3700000

Fraction

by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:CHRONIC EXPOSURE CAN CAUSE ANEMIA, NEPHRITIS AND METHEMOGLOBINEMIA (SAX,5TH ED)

===== First Aid Measures =====

First Aid:INGEST:IF CONSCIOUS,INDUCE VOMITING & CALL MD. SKIN: FLUSH W/ WATER. EYES: FLUSH W. H*2O FOR 15 MIN & CALL MD.

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, DRY CHEM , CO*2

Unusual Fire/Explosion Hazard:STRONG OXIDIZER; CONTACT W/ OTHER MATERIAL MAY CAUSE FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:CAREFULLY SWEEP UP & ISOLATE SPILL. DILUTE W/ SUFFICIENT WATER. ADD SODA ASH. MIX & NEUTRALIZE W/ 6M-HCL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT W/EYES,SKIN,CLOTHING & COMBUSTIBLES. WASH THOROUGHLY AFTER HANDLING. KEEP CANS TIGHTLY

CLOSED, IN A COOL PLACE,AWAY FROM HEAT & ORGANICS

Other Precautions:INCOMPATABILITY: LEAD NITRATE;SODIUM HYDROSULFITE;LEAD PHOSPHITE;TIN;SOLDER;TIN PLATE;STANATES;ORGANIC MATERIALS;STRONG OXIDIZING AGENTS;SODIUM PHOSPHITE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD SCBA (MFR)

Ventilation:LOCAL & MECHANICAL/GENERAL RECOMMENDED

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipme

nt:APPRVD WORKING CLOTHES.

Supplemental Safety and Health

PROD DECOMPOSES ABOUT 400C; MELTING PT 337C. CONTAINER: 4 OZ BOTTLE
CRYSTAL.

===== Physical/Chemical Properties =====

HCC:D1

Spec Gravity:2.11

Solubility in Water:SOLUBLE

Appearance and Odor:COLORLESS CRYSTALS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SODIUM ACETATE & TARTRATES;SODIUM PHOSPHITE;(OTHER PRECAU)

===== Dis

posal Considerations =====

Waste Disposal Methods:MFR RECOMMENDS DISPOSAL @ WASTE TREATMENT PLANT.
DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any

person utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.