

STOCKHAUSEN INC -- TT-T-291F THINNER -- 8010-00-242-2089

===== Product Identification =====

Product ID:TT-T-291F THINNER

MSDS Date:01/01/1985

FSC:8010

NIIN:00-242-2089

MSDS Number: BDMQN

=== Responsible Party ===

Company Name:STOCKHAUSEN INC

Address:2408 DOYLE STREET

City:GREENSBORO

State:NC

ZIP:27406

Country:US

Info Phone Num:919-378-9393

Emergency Phone Num:919-378-9393

CAGE:STOCK

=== Contracto

r Identification ===

Company Name:STIC-ADHESIVE PRODUCTS CO INC

Address:3950 MEDFORD ST

Box:City:LOS ANGELES

State:CA

ZIP:90063-1675

Country:US

CAGE:59142

Company Name:STOCKHAUSEN INC

Address:4140 C DAWSON ST

City:BURNABY BC

Country:US

Phone:613-996-6666

CAGE:STOCK

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBON BLEND

Fraction by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:DRIES S

KIN. INHALING MAY CAUSE ANESTHESIA,
HEADACHE, DIZZINESS- UPPER RESP RESPIRATORY IRRITATION.

=====
First Aid Measures
=====

First Aid:INHALATION-MOVE TO FRESH AIR; ARTIFICIAL RESPIRATION IF NECESSARY. CALL DOCTOR. SKIN-WASH WITH SOAP & WATER, APPLY MILD SKIN CREAM. SEVER CASES-CALL DOCTOR. EYE-FLUSH WITH WATER; CALL DOCTOR. INGESTION- CALL DOCTOR.

=====
Fire Fighting Measures
=====

Flash Point:105F, 41C

TCC

Extinguishing Media:FOAM, CO, DRY CHEMICALS

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS. WATER MAY BE UNSUITABLE

Unusual Fire/Explosion Hazard:AVOID SPARKS, FIRE OR METAL SURFACES.

=====
Accidental Release Measures
=====

Spill Release Procedures:AVOID SPARKS, FIRE OR HOT METAL SURFACES-FLUSH WITH WATER INTO NON-HAZARDOUS RETAINING AREA OR CONTAINER. SMALL QUANTITIES MAY BE ABSORBED ON APPROPRIATE ABSORBENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP COOL & AWAY FROM SOURCES OF IGNITION. USE WITH ADEQUATE VENTILATION.

Other Precautions:AVOID PERSONAL CONTACT. WASH OFF SPILLED LIQUID. REMOVE WET CLOTHING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:DEPENDS ON CONC. ABOVE TIME-WEIGHED TLV, CARTRIDGE RESPIRATOR OR MASK

Ventilation:SUFFICIENT TO KEEP AREA BELOW TLV

Protective Gloves:IMPERMEABLE

Eye Protection

on:CHEMICAL GOGGLES

Other Protective Equipment:IMPERMEABLE APRON, IMPERMEABLE GLOVES OR BARRIER CREAM.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:315-390F

Vapor Pres:2.4

Vapor Density:4.9

Spec Gravity:0.789

Evaporation Rate & Reference:0.2

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR, COLORLESS LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator

/Materials to Avoid:YES

STRONG OXIDANTS; STRONG ACIDS & BASES; SELECTED AMINES

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES, FIRE

Hazardous Decomposition Products:MAY YIELD CO OR CO2

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH STATE, LOCAL OR FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated fo

r use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.